

INDEX OF AUTHORS' NAMES.

A B S T R A C T S. 1892.

And also to Transactions, 1892 (marked TRANS.); and to such papers as appeared in the Proceedings during the Session 1891—1892 (Nos. 101 to 114; Nov., 1891, to July, 1892), but not in Transactions (marked PROC.).

A.

Abbona, V. See Fileti.
Abbott, A. C. See Voit.
Abel, J. J., and E. Drechsel, carbamic acid, 518.
Abelous, J. E., and F. Heim, digestive ferments in crustacean eggs, 362.
Abenius, P. W., and H. G. Söderbaum, diphenyltetraketone, 69.
Abney, colour-photometry, PROC., 1891, 150.
Abrahall, J. L. H., obituary notice of, TRANS., 486.
— the atomic weight of boron, TRANS., 650.
Ackermann, estimation of tartar in sweet wines, 1531.
Adams, F. D., mcelilite-bearing rock from Canada, 1058.
Adams, M. A., estimation of oxygen dissolved in water, TRANS., 310.
Addyman, F. T., action of sulphuric acid on the bromides of potassium, sodium, and hydrogen, TRANS., 94.
Adeney, W. E., and T. A. Shegog, combination of wet and dry methods in chemical analysis, 100.
Adkins, H., relations between atomic weights, 938.
Adrian and Bougarel, separation of barium from strontium salts, 776.
Ahrens, C., derivatives of metaxylene, 1437.
Aisinmann, S. See Wildermann.
Albert-Lévy, ammonia in rain water, 381.
Aldringen, F., thiocoumarin and its analogues, 329.
Alexander, H., action of formaldehyde on orthodimethyltoluidine, 1320.
VOL. LXII.

Alexander, H., reduction of coumarone, 1318.
Alexéeff, W., elaterite and dopplerite, 689.
Allard. See Leze.
Allen, A. H., assay of aconite preparations, 392.
Allen, A. H., and W. Chattaway, examination of spirits for secondary constituents, 244.
Allendorff, O., oximes of opionic and phthaldehydic acids, 180.
Altschul, J., parahydroxyalkyl derivatives of phenylhydrazine, 1198.
— paralkyloxy-derivatives of phenylhydrazine, hydracetine, and antipyrine, 1080.
Alvisi, U., formation of pyrazole derivatives from the dichlorhydrins and tribromhydrins, 884.
— the camphor group, 1343.
Amagat, E. H., density of liquefied gases and their saturated vapours: critical constants of carbonic anhydride, 1043.
— determination of the density of liquefied gases and of their saturated vapours, 934.
— new isothermal curves for carbonic anhydride, 3.
Amthor, C., and J. Zink, horse fat, 1533.
André, G., bismuthic acid, 413, 688.
André, G. See also Berthelot.
Andréeff, A. See Andres.
Andreucci, A., synthesis of 1:3-phenylpyrrodiazolecarboxylic acid, 3-methylpyrrodiazole, 3-pyrrodiazolecarboxylic acid, and pyrrodiazole, 636.
Andres, G., and A. Andréeff, Russian peppermint oil and menthylamine, 723.

Angeli, A., action of nitrous acid on some unsaturated aromatic compounds, 447, 1198.
 — estimation of sulphur in organic substances, 382.
 — ethyl acetothienoneoxalate, 154.
 — use of sodium hypophosphite in Sandmeyer's reaction, 305.

Angeli, A., and A. Chiussi, action of iodic acid on levulinic acid, 1179.

Angeli, A. See also Ciamician.

Ankersmit, H. J. See Pictet.

Anschütz, R., and E. Parlato, ethyl dioxyuccinate, 1181.

Antony, U., removal of platinum from iridium, 1285.

Antony, U., and A. Lucchesi, auric sulphide, 280.

Appiani, G. See Menozzi.

Araki, T., formation of sugar and lactic acid in the organism, 517, 1113.

Arata, P. N., and F. Canzoneri, "Pillijan" (*Lycopodium saururus*), 894.

Archarrow, J., estimation of organic matter in the atmosphere, 542.

Arche, A. See Kornauth.

Armstrong, H. E., contributions to an international system of nomenclature: the nomenclature of cycloids, Proc., 1892, 127.
 — note on anhydrides of sulphonic acids, Proc., 1892, 41.
 — the interaction occurring in flames, Proc., 1892, 22.
 — the origin of colour. II. The constitution of coloured nitro-compounds, Proc., 1892, 101.
 — the origin of colour. III. Colour as an evidence of isodynamic change: the existence of isodynamic acids, Proc., 1892, 103.
 — the origin of colour: note on the appearance of colour in quinoline derivatives and of fluorescence in quinine salts, TRANS., 789.

Armstrong, H. E., and J. F. Briggs, the relative orienting effect of chlorine and bromine. I. The constitution of parabrom- and parachlor-aniline-sulphonic acids, Proc., 1892, 40.

Armstrong, H. E., and F. S. Kipping, camphorone, a product of the action of dehydrating agents on camphor, Proc., 1891, 188.
 — the production of the ketone 1 : 2 : 4-acetyleneorthoxylene from camphor by the action of sulphuric acid and zinc chloride, Proc., 1892, 54.

Armstrong, H. E., and E. C. Rositer, the action of alcohols on sulphonic chlorides as a means of producing ethereal salts of sulphonic acids, Proc., 1891, 184.

Armstrong, H. E., and E. C. Rositer, the action of bromine on a mixture of ortho- and para-nitro- α -acenaphthalide, Proc., 1891, 186.
 — — — the action of bromine on α - and β -bromonaphthalene, Proc., 1891, 184.
 — — — the sulphochlorides of the isomeric dibromonaphthalenes, Proc., 1891, 182.

Arnaud, A., new acid of the $C_nH_{2n-4}O_2$ series, 582.

Arnaud, A. See also Grimaux.

Arnold, B. See Lellmann.

Arnold, C., and K. Wedemeyer, Boyer's method of estimating nitrogen, 1517.
 — — estimation of nitrogen in nitrates, 1517.

Arnst, T. See Zincke.

Arrhenius, S., applicability of Planck's proof of the law of Van't Hoff, 935.
 — — — correction in the calculation of the heat of dissociation of electrolytes, 931.
 — — diffusion in aqueous solutions, 1265.
 — — electrical conductivity of substances in mixed solvents, 1038.

Arsonval. See D'Arsonval.

Arthur, M., glycolysis in blood, 900.

Aschan, O., hydrobenzoic acid, 847.

Aschoff, K. See Jannasch, Mai

Askenasy, P., and V. Meyer, nitro-propylene, 1062.
 — — — photochemical notes, 939.
 — — — slow combustion of gaseous mixtures, 938.

Aslanoglu, P. L., supposed copper nitride, 409.

Atherton, T. W. T., occurrence of a natural gold sulphide, 283.

Atterberg, A., sodium as a plant food, 1508.

Aubin, E., separation and estimation of lead, silver, and zinc in galena and blende, 1378.

Aufschläger, H., formation of zinc cyanide on heating nitrogenous organic substances with zinc dust, 1164.

Autenrieth, W., and O. Hinsberg, derivatives of orthotoluylenediamine, 709.
 — — — hydroxyquinoxalines and ethoxyquinoxalines, 732.
 — — — phenacetine: metaethoxy-orthophenylenediamine, 160.

Auwers, K., E. Köbner, and F. v. Meyenburg, synthesis of polybasic fatty acids, 41.
 Auwers, K., and V. Meyer, Claus's theory of the benziloximes, 186.
 —— stereoisomeric nitrogen compounds other than oximes, 598.
 Auwers, K., and M. Siegfeld, benziloximes, 1470.
 Aymonnet, relation between the index of refraction, density, molecular weight, and diathermanous power of a substance, 1.

B.

Babington, F. W., analysis of sugar, wine molasses, and syrup, 388.
 Bach, R., thermochemistry of hydrazine. Molecular refraction of some nitrogen compounds, 933.
 Bachmetéeff, P., magnetism and atomic weight, 672.
 Bader, R., alkalimetric estimation of phenol, 543.
 Baeyer, A. v., quinitol, the simplest sugar of the inositol group, 833.
 —— reduction products of phthalic acid. Constitution of benzene, 1211.
 —— synthesis of dihydrobenzene, 1074.
 —— synthesis of dihydroparaxylene, 1182.
 Baeyer, A. v., R. Schoder, and E. R. Besemfelder, hydronaphthoic acids, 191.
 Bagard, H., thermoelectric phenomena at the contact of two electrolytes, 1037.
 Bailey, E. H. S., the Tonganoxie meteorite, 284.
 Bailey, G. H., and J. C. Cain, simple and rapid method of gravimetric analysis, 524.
 Bailey, G. H., and T. Lamb, the atomic weight of palladium, TRANS., 745.
 Bailey, H., alloy of tin and sodium, 572.
 Baker, H. B., action of light on silver chloride, TRANS., 728.
 Baker, J. L. See Ling.
 Balbiano, L., platinum compounds derived from the pyrazoles, 585.
 Baldracco, G. See Errera.
 Balestra, E., mercurammonium compounds, 276.
 Balland, aluminium, 1281.
 Ballantyne, H. See Thomson.
 Balli, B., estimation of cream of tartar in wine lees, 1033.

Baltzer, O. See Pechmann.
 Bamberger, E., symmetrical bisphenyl hydrazone of mesoxaldehyde, 162.
 Bamberger, E., and B. Berlé, benzimidazoles, 632.
 Bamberger, E., B. Berlé, and L. Strasser, behaviour of carvaerol towards reducing agents, 157.
 Bamberger, E., and W. Dieckmann, biguanide, 737.
 —— synthesis of guanamine, 736.
 Bamberger, E., and M. Kitschelt, action of hypochlorous acid on β -naphthaquinone, 494, 857.
 —— preparation of isoquinoline from naphthalene, 882.
 Bamberger, E., and J. Lorenzen, benzimidazoles, 631.
 Bamberger, E., and L. Seeberger, synthesis of closed chains, 735.
 Bamberger, M., natural resins, 204.
 Barba, W. P., use of asbestos in filtration, 751.
 Barbier, P., essential oil of *Licaria kanali*, 1236.
 —— puleone, an isomeride of camphor, 627.
 Bardach, B. See Goldschmidt.
 Bardy, C., detection of higher alcohols in spirits of wine, 1379.
 Barral. See Lépine.
 Barrows, A. E., and T. Turner, estimation of slag in wrought iron, TRANS., 551.
 Barsiloffsky, J., condensation of aldehydes with azo-compounds, 854.
 Barth, K., complex salts of sulphurous acid, 564.
 Barthe, L., strontium phosphate, 1156.
 Barthe and Falières, preparation of pure strontium salts, 1277.
 Barthel, G., Bunsen burner for spirit, 1386.
 Bartolotti, P., action of phosphorus pentachloride on methylhydrocotoin and methylprotocotoin, 1314.
 —— derivatives of isoapiole, 1315.
 Bartoszewitsch, S. T., sulphates and ethereal hydrogen sulphates in urine during diarrhoea, 1505.
 Barus, C., volume lag and its bearing on molecular constitution, 1043.
 Bary, P., refractive indices of saline liquids, 929.
 Basset, H., tabular expression of the periodic relations of the elements, 562.
 Battandier, J. A., glaucine, 893.
 Baubigny, H., estimation of thallium, 238.

Baubigny, H., and E. Péchard, fluorescence of metallic sulphates, 1271.

Bauer, M., basalt of the Stempel, near Marburg, 126.

Bauer, R. W., sugar from linseed, 1293. — sugar from quince juice, 128.

Baumann, A., gasvolumetric analysis, 538. — new methods in quantitative analysis, 103, 538.

Baumann, E., estimation of homogentisic acid in the urine, 925.

Baumann, E., and E. Fromm, thio-derivatives of furfuraldehyde, 301.

Baumann, E., and M. Klett, stilbene, thionessal, and tolane sulphide, 184.

Baumert, G., estimation of glycerol in wine, 1529.

Bayrac, P. H., indothymol and thymoquinone, 1311.

Beadle, C., the acid action of drawing papers, *PROC.*, 1892, 34.

Beam, W. See Leffmann.

Béchamp, A., action of light on silver chloride, 775.

Beck, C. See Haeussermann.

Beck, C. R. See Shenstone.

Beck, L. See Claus.

Becker, A., reduction of nitric acid to ammonia by the galvanic current, 403.

Becker, A. See also Sachsse.

Beckmann, E., and T. Paul, action of sodium on ketones and aldehydes, 169.

Beckurts, H., anemonin, 1241.

Beckurts, H., and P. Nehrung, constituents of *Angostura* bark, 642.

Becquerel, H., optical measurement of high temperatures, 761.

Beddios, A. See Krafft.

Béhal, A., constitution of caprylaldehyde, 293.

Béhal, A., and A. Desgrez, action of fatty acids on olefines, 1162. — — action of organic acids on acetylenic hydrocarbons, 1064.

Béhal and Desvignes, asbolin, 1312.

Behrend, M. See Rung.

Behrend, R., intramolecular change of some isaldoxime derivatives, 50. — molecular transformation of the aldoximes, 163. — solubility of double compounds, 1047, 1385.

Behrend, R., and E. König, alkyl derivatives of hydroxylamine, 1456.

Behrend, R., and D. Nissen, orthochlorobenzaldoximes, 1199.

Behrens, H., formation of mixed crystals, 10.

Bein, S., estimation of fat in yolk of eggs, 1134.

Békétoff, N., heat of combination of bromine and iodine with magnesium, 762. — influence of steam and other gases on the combustion of carbonic oxide and oxygen, 274. — properties of caesium and its hydroxide, 274. — reduction of caesium, 274.

Bel. See Le Bel.

Bell, J., analysis of spirits, 387.

Benedikt, R., analysis of galena and lead sulphate, 1522.

Benedikt, R., and L. Gans, quantitative separation of silver from lead, 1522.

Benedikt, R., and J. Neudörfer, oxidation of alcohols by permanganate, 1529.

Bener, P., xanthones and hydroxyxanthones of the naphthalene series, 1099.

Bentley, W. B. See Jackson.

Berend, L., and E. Thomas, ketones of the quinoline series, 1488.

Berg, A., action of sodium and potassium cyanide on chlorodiamylamine, 804. — chlorine derivatives of isobutylamines, 1172.

Berghell, H. See Ramsay.

Berkenheim, A., menthol, 866.

Berkenheim, A. See also Wallach.

Berlé, B. See Bamberger.

Bernays, A. J., obituary notice of, *TRANS.*, 488.

Bernthsen, A., ammonium bases of phenylacridine, 1095.

Berthelot, new method of organic analysis, 753. — oxidation of nickel carbonyl, 279. — persulphates, 12. — persulphuric acid and its salts, 931. — use of compressed oxygen in the calorimetric bomb, 673.

Berthelot and G. André, estimation of sulphur in vegetable soils, and the forms in which it is present, 656. — — — fermentation of blood, 900. — — — spontaneous oxidation of humic acid in vegetable soil, 655.

Berthelot and Matignon, heat of formation of hydrazine and hydrazoic acid, 261. — — — heats of combustion and formation of ethyl alcohol and formic and acetic acids, 1139.

Berthelot and Matignon, heats of combustion and formation of nitrobenzenes, 4.

Berthelot, D., basicity of phosphoric acid, 394.

— existence of acid or basic salts of monobasic acids in very dilute solution, 110.

— study of the chemical neutralisation of acids and bases by means of their electrical conductivities, 2.

Bertin-Sans, H., and G. Moitessier, formation of oxyhaemoglobin from haematin and a proteid, 1017.

Bertoni, G., metanitrophenylsantonin-methane, 622.

Bertoni, G., and M. Zenoni, meta-nitro- and para-nitro-diparadihydroxy-triphenylmethane, 620.

Bertram, A., phenylthiocarbamide and imidothiocarbamates, 465.

Bertram, J., and H. Walbaum, oil of lavender and of bergamot, 1235.

Bertrand, G., colour reactions of carbohydrates, 664.

— constitution of xylitol and xylose, 29.

— xylose, 28.

Besana, C., estimation of free acids in butter, 924.

Besemfelder, E. See Baeyer.

Besson, A., boron phosphides, 273.

— carbon chlorobromides, 771.

— combination of ammonia with boron bromide and iodide, 771.

— phosphorus bromonitride, 1272.

— phosphorus chloronitride and phosphamide, 1152.

— silicon thiochloride, 404.

Bettendorff, A., earths of the cerium and yttrium groups, 1400.

Bevan, E. J. See Cross.

Beyerinck, M. W., accumulation of atmospheric nitrogen in cultivations of *Bacillus radicicola*, 1019.

— action at a distance of aqueous solutions on water vapour, 936.

Beysen, C. See Claus.

Bickes, T. See Jannasch.

Biedermann, J., derivatives of phenyl- α -hydroxyerctonic acid, 471.

— new method of preparing the amide, anilide, and phenylhydrazide of mandelic acid, 473.

Biginelli, P., ethyl acetoacetate aldehydeuramides, 56.

Biginelli, P. See also Koerner.

Biltz, H., additive products of hydrogen iodide and nitriles, 1449.

— lecture experiment on the diffusion of gases, 562.

Biltz, H. See also Brühl.

Bischler, A., formation of substituted indoles, 1465.

Bischoff, C. A., and A. Hausdörfer, derivatives of α -amidopropionic acid, 1336.

— — derivatives of naphthylglycines, 1341.

— — derivatives of phenylglycine and orthotolylglycine, 1333.

— — paratolylglycine and its derivatives, 1335.

Bischoff, C. A., and N. Mintz, anilidoisobutyric acids, 1338.

— — derivatives of α -amidobutyric acid, 1338.

— — derivatives of α - and β -naphthylidoisobutyric acids, &c., 1342.

— — toluidoisobutyric acids, 1339.

Bistrzycki, A., and G. Cybulski, phthalimidones, 1248.

Bistrzycki, A., and F. Ulffers, diacyetylthiodiamines, 1197.

Bittó, B. v., behaviour of aldehydes and ketones with aromatic nitro-compounds, 1263.

— sodium nitroprusside as a reagent for aldehydes and ketones, 924.

Bizzarri, D., carbazacridines: dehydration of amides in contact with diphenyl derivatives, 617.

— methylcarbazacridine, 343.

Blachstein, gases of peptone blood, 363.

Bladin, J. A., action of ethyl acetoacetate on dicyanophenylhydrazine, 597.

— condensation products of dicyanophenylhydrazine with aliphatic aldehydes, 596.

— tetrazole, 1009.

— triazole, 735.

— triazole-derivatives, 637.

Blair, A. A., estimation of carbon in steel, 237.

Blau, F., $\alpha\beta$ -dipiperidyl, 1365.

— estimation of nitrogen in organic substances, 1515.

Bleicher, microscopic structure of the oölitic iron ore of Lorraine, 791.

Blomstrand, C. W., gadolinite, 1410.

Blümcke, A., change of the empirical and theoretical isothermals of mixtures of two substances with the temperature, 259.

— labile conditions of equilibrium in mixtures of two substances at a temperature below the melting point of either, 936.

Blum, F., thymolglycuronic acid, 1116.

Blum, L., absorption apparatus for use in the estimation of sulphur in iron, 1376.

Blum, L., presence of lead in glass wool, 1375.
 — volumetric estimation of zinc, 534.

Blunt, T. P., indirect estimation of alcohol, 543.

Boas, J., estimation of hydrochloric acid in gastric juice, 97.

Boccard. See Di Boccard.

Bock, J. See Bohr.

Bode, J., derivatives of neurine and choline, 806.

Bodewig, A. See Schall.

Bodländer, G., behaviour of molecular compounds on dissolution, 1154.
 — formation of melilite during the burning of Portland cement, 416.

Böcher, P. See Claus.

Bölsing, F., and J. Tafel, acid hydrazides, 981.

Böttiger, E., quinolinehydrazines, 212.

Böttinger, C., condensation of anil-pyruvic acid, 54.
 — derivatives of tannin, 181.
 — dimethylracemic acid, 698.
 — peptone salts of glutin, 1016.

Bogdanowska, V., dibenzyl ketone and dibenzylcarbinol, 851.

Bohr, C., combination of haemoglobin with oxygen, 1369.

Bohr, C., and J. Bock, solubility of gases in water, 107.

Bohr, C., and S. Torup, oxygen in oxyhaemoglobin crystals, 1017.

Boisbaudran, L. de, samarium, 780.
 — spectra of gallium, 930.
 — supersaturation, 398.

Bois Reymond. See Du Bois Reymond.

Bokorny, T., nutrition of green plant-cells with formaldehyde, 1259.

Bone, A. W. See Lean.

Boniscontro, L. See Fileti.

Bornträger, A., decolorisation of wines, 543.
 — use of potassium hydrogen tartrate in titrating standard acids and alkalis, 525.

Bosio, G., influence of temperature on Griess' reaction for nitrites in water, 657.

Bouchardat, G., and J. Lafont, action of benzoic acid on turpentine, 199.

Bougarel. See Adrian.

Bourgeois, E. See Krafft, Spring.

Bourgeois, L., volatility of carbamide and its crystallisation by sublimation in a vacuum, 1309.

Bouriez, A., volumetric estimation of sulphates, 1377.

Bourquelot, E., detection and extraction of tiehalcse, 545.

Bourquelot, E., distribution of sugar in *Boletus edulis* and *B. aurantiacus*, 519.
 — starch in *Boletus pachypus*, 230.

Bouty, E., coexistence of dielectric power and electrolytic conductivity, 759.

Boyer, E., new method for the estimation of nitrogen, 237.

Brackett, R. N., and J. F. Williams, newtonite and rectorite, two new minerals of the kaolin group, 22.

Bradbury, R. H. See Smith.

Bradley, W. P., and F. B. Dains, action of acetic chloride on orthohydroxyldehydes, 1458.

Braun, F., electrocapillary reactions, 394.
 — electrostenolysis, 393.

Braun, L., and R. Ebert, naphthalene dihydroslipide and dithiocyanate, 1471.

Brauns, R., products of the weathering of diabase, 1412.

Bréal, E., aerobic nitrate-reducing ferment in straw, 1259.
 — fixation of free nitrogen during vegetation, 1508.

Brenzinger, K., cystin and cysteïn, 1111.

Bridge, J. L., quinoneoxime alkyl oxides, 1456.

Briggs, J. F. See Armstrong.

Brigham, C. P., double halogen salts of bismuth, 788.

Brochet, A., action of chlorine on isobutyl alcohol, 1292.
 — pyrogenic hydrocarbons in compressed gas, 797.

Brown, A. Crum, and J. Gibson, a rule for determining whether a given benzene derivative shall be a meta-di-derivative or a mixture of ortho- and para-di-derivatives, TRANS., 367.

Brown, A. J., influence of oxygen and of concentration on alcoholic fermentation, TRANS., 369.

Brown, D. R., and W. H. Perkin, jun., cryptopine, PROC., 1891, 166.

Brown, H. T., on the search for a cellulose-dissolving (cytohydrolytic) enzyme in the digestive tract of certain animals, TRANS., 352.

Brown, E. P., pea-nut, 1122.

Browning, P. E., separation of barium from calcium, 915.
 — separation of strontium and calcium nitrates by means of amyl alcohol, 915.

Brück, P., diiodoacetylenedicarboxylic acid and diiodoacrylic acid, 431.

Brückner, C. See Conrad.

Brügelmann, G., characteristics of the alkaline earths, 17.

Brühl, J. W., action of sodium and carbonic anhydride on antipyrine, 1106.

— alcohol of antipyrine, 730.

— camphene and camphoric acid, 1240.

— dipropargyl and benzene, 1436.

— ethyl acetoacetate, 583.

— terpenes and their derivatives, 200, 347, 624, 1100.

— trimethylene, 1163.

Brühl, J. W., H. Biltz, A. Cantzler, and L. Reuter, terpenes and their derivatives, 623.

Brühl, J. W., and F. Müller, terpenes, 722.

Bruhns, G., and A. Kossel, adenine and hypoxanthine, 220.

Brun, E., compounds of cuprous iodide and ammonium thiosulphate, 1157.

Brunck, O., derivatives of paradi-anilidobenzene, 1450.

Brunelle. See Combemale.

Bruyn. See Lobry de Bruyn.

Buchner, E., fermentation, 820.

Buchner, E., and H. Dessauer, phenyltrimethylene carboxylic acids, 849.

Buchner, E., and A. Papendieck, bromacetamide, 827.

Buchner, E., and H. Witter, citric acid, 824.

— — — symmetrical ethanetetra-carboxylic acid, 824.

Buchner, G., analysis of white wax, 665.

— — — cadmium sulphides, 778.

Buisine, A., and P. Buisine, adulteration of beeswax, 251.

— — — utilisation of burnt pyrites in the manufacture of iron salts, 1281.

Buitchichin, A. See Zelinsky.

Bunge, G., iron in the foetal organism, 1502.

— iron in the liver, 1503.

— the in-take of iron by the foetus, 516.

Burmeister, R. See Michaelis.

Burney, W. B., estimation of phosphoric acid, 1125.

Burns, P. S., dimolecular nitriles, 450.

Busch, A., and W. Koenigs, synthesis of β -chloroquininaldine, 505.

Busch, M., new synthesis of ketoquinazolines and thioquinazolines, 1495.

— synthesis of phenotriazines, 734.

Busch, M., and M. Klett, cinnoline derivatives, 1494.

C.

Cain, J. C. See Bailey.

Cammerer, action of ferric chloride on metallic sulphides, 18, 278.

Cammerer, J. B., action of hydrogen peroxide on the oxides of molybdenum, tungsten, and vanadium, 944.

Campani, R. See Sestini.

Campbell, A. C., separation of iron from cobalt, nickel, and manganese, 103.

Camps, R., trimethylenedisulphide sulphide, 592.

— trimethylenetrisulphide, 591.

Cantzler, A. See Brühl, Gattermann.

Canzoneri, F., hot mineral spring at Finca Huracatao Selta, Argentine, 574.

Canzoneri, F. See also Arata.

Carbonelli, C. E., specific heat of the diamond, 761.

Carl, R. W. See Koenigs.

Carles, P., phosphoric acid in urine, 1115.

Carlson, M., acids from the dicyanhydrin of benzoylacetone, 1471.

Carnegie, D., sulphur tetroxide, 111.

Carnot, A., assay of antimony minerals, 918.

— estimation of fluorine, 911.

— fluorine in natural phosphates, 1055.

— fluorine in recent and fossil bones, 1161.

— proportion of fluorine in fossil bones of various ages, 1413.

Caro, N., hydroxyaurin and hydroxyaurincarboxylic acids, 855, 1469.

Carrara, G., condurangin, 1352.

— new method of preparing dimethyl-ethylsulphine and methyl ethyl sulphide, 1422.

— thiourea, 1309.

Carrara, G. See also Spica.

Carrick, J. T., condensation of ethyl cyanacetate and benzaldehyde; ethyl α -cyanocinnamate, 1086.

Cathcart, W. R., and V. Meyer formation of closed-chain compounds by the elimination of bromine from the benzene nucleus, 992.

Cattaneo, C., thermal expansion of liquid bismuth, 259.

Cauffmann, M. See Orndorff.

Cauley. See MacCauley.

Causse, H., acetone resorcinol, 1312.

— dissolution of bismuth chloride in a saturated solution of sodium chloride; basic bismuth salicylate, 122.

— orthophenylene hydrogen antimonite, 1078.

Causse, H., solubility of tricalcium phosphate and dicalcium phosphate in solutions of phosphoric acid, 684.
 — solution of antimonious chloride in saturated solutions of sodium chloride, 413.

Cavazzi, A., and D. Tivoli, action of hydrogen phosphide on an ethereal solution of bismuth tribromide, 279.

Cay. See **McCay**.

Cazeneuve, P., a violet from codeïne, 360.
 — conversion of gallic acid into pyrogallol, 1314.
 — ethynitroketone and acetylnitroketone from camphosulphophenols, 1085.
 — formation of acetylene from bromoform, 421.
 — instability of carboxyl in phenolic acids, 1332.
 — nitroketone from camphosulphophenols, 999.

Cazeneuve, P., and Nicolle, rapid estimation of sulphuric acid, 659.

Chabrié, C., new proteid from human blood serum, 224.
 — organic halogen and boron derivatives, 1316.
 — passage of substances in solution through mineral filters and capillary tubes, 1267.

Chalanay, L., and E. Knoevenagel, dicyanostilbene, 618.
 — — stereoisomeric diphenylsuccinonitriles, 619.

Chalmot. See **De Chalmot**.

Chancel, F., propylamines and their derivatives, 804.
 — propylcarbamide and unsymmetrical dipropylcarbamide, 1421.

Chancel, F. See also **Duvillier**.

Chaplin, E. M., hydrazones of camphoric acid, 1481.

Chardonnet. See **De Chardonnet**.

Charpy, G., chemical equilibrium in solutions, 1146.
 — specific gravities of aqueous solutions, 765.
 — vapour pressure of aqueous solutions of cobalt chloride, 263.

Charpy, G. See also **Gautier**.

Charrin, A., toxicity of serum, 228.

Chassevant, A., double chlorides of lithium and metals of the magnesium series, 1275.
 — lithium copper chloride, 118.

Chassy, A., laws of electrolysis, 1037.

Chatard, T. M., analyses of pyroxene, 1409.

Chatelier. See **Le Chatelier**.

Chatin, A., truffles, 654.

Chattaway, W. See **Allen**.

Chittenden, R. H., E. P. Joslin, and F. S. Meara, ferments in pineapple juice, 650.

Chittenden, R. H., and T. B. Osborne, proteids of the maize kernel, 379, 746, 749.

Chiussi, A. See **Angeli**.

Chorley, J. C., analysis of a slag from the manufacture of phosphorus in electrical furnaces, 1401.

Christ, A., composition of boiler incrustation, 17.

Christ, C. See **Fittig**.

Christensen, A., estimation of free alkaloids and their molecular weight, 666.

Christensen, O. T., compounds of hydrogen diaminechromium thiocyanate with nitrogenous bases, 1000,
 — derivatives of chromium ammonium thiocyanate, 798.

Chuard, E., nitrification in organic media of acid reaction, 906.

Ciamician, G., constitution of naphthalene, 69.

Ciamician, G., and A. **Angeli**, constitution of tetrole-nuclei, 302.

Ciamician, G., and P. **Silber**, constituents of Paracoto bark, 62, 873.
 — — pseudopelletierine, 1110.
 — — the oxymethylene group in isosafrole, 972.

Ciamician, G., and C. U. **Zanetti**, molecular weight of the peptones, 1501.

Claisen, L., action of ethyl chlorocarbonate on ethyl sodacetacetate, 1070.
 — constitution of ethyl acetoacetate and of the so-called formyl derivatives of ethereal salts and ketones, 1072.
 — isoxazoles, 506.
 — mixed azo-compounds, 710.

Clapp, G. H. See **Hunt**.

Clapp, R. R. See **Comstock**.

Clark, H. W. See **Hazen**.

Clark, J., direct estimation of arsenic in minerals and metals, 530.
 — separation of arsenic, antimony, and tin, *TRANS.*, 424.

Clarke, F. W., fractional analysis of silicates, 945.
 — petalite, spessartine, and willemite, 1411.
 — Tschermark's theory of the chlorite group and its alternative, 794.

Clarke, F. W., and E. A. **Schneider**, constitution of certain micas, vermiculites, and chlorites, 125.

Clarke, F. W. See also Schneider.

Classen, K., pure bismuth, 20.

Claus, A., alkyl and alkylene derivatives of cinchonic acid, and alkylene derivatives of cinchoxic acid, 1488.

— alkyl derivatives of cinchona alkaloids, 1012.

— aromatic alkyl ketones and their oximes, 985.

— aromatic alkyl ketoximes, 1200.

— γ -bromoquinoline, 875.

— cinchona alkaloids, 1249.

— decomposition of glutaric acid at a high temperature, 40.

— oximes, 1080.

— oximes and the so-called stereochemistry, 50, 598.

— quaternary ammonium bases of the quinoline series, 1358.

Claus, A., and L. Beck, nitration and bromination of parabromorthotoluic acid, 1207.

Claus, A., and C. Beysen, dinitro-paratoluic acids and their derivatives, 177.

Claus, A., and P. Böcher, nitration of metachloroparatoluic acid, 173.

Claus, A., and N. Davidsen, nitration of orthochloroparatoluic acid, 172.

Claus, A., and J. Herbabny, nitration of and bromination of ortho-bromoparatoluic acid, 174.

Claus, A., A. Howitz, C. Massan, and G. Raps, halogen alkyl compounds of hydroxyquinolines, 876.

Claus, A., and H. Howitz, action of bromine on para- and ortho-hydroxy-quinoline, 353.

Claus, A., and J. Joachim, nitration of orthonitroparatoluic acid, 176.

Claus, A., and A. Reh, bromination of bromobenzoic acids, 171.

Claus, A., and R. Seibert, dibromo-paratoluic acid, 176.

Claus, A., and A. Stavenhagen, dichlorobenzoic acids, 1206.

Claus, A., and A. Weil, dibromo-benzoic acids, 1205.

Claus, R. See Fittig.

Cleve, T. P., amidonaphthalenesulphonic acid, 345.

— chloronaphthalenesulphonic acids, 1477.

— 1 : 3 : 4-dichloronaphthalenesulphonic acid, 344.

— 1 : 2-dicyanonaphthalene and 1 : 2-naphthalenedicarboxylic acid, 1477.

— 1 : 2 : 2'- α -nitrochloronaphthalene-sulphonic acid, 1478.

Clutterbuck, M. C. See Fittig.

Cohn. See Lassar Cohn.

Cohn, G., benzaldiphenylmaleïde and its derivatives, 482.

Cohn, G. See also Gabriel.

Cohn, R., occurrence of acetyl derivatives in the urine of animals after ingestion of aldehydes, 1504.

Colasanti, G., xanthocreatinine in the urine, 364.

Colby, G. E., and H. L. Dyer, analyses of Californian oranges and lemons, 1511.

Colefax, A., action of icidine on a mixture of sulphite and thiosulphate, TRANS., 1083.

— action of sulphurous acid on flowers of sulphur, TRANS., 199.

— investigation of the change proceeding in an acidified solution of sodium thiosulphate, where the products of the change are retained in the system, TRANS., 176.

Coleman, J. B., rapid method of solution in the cold, 397.

Collan, U., autocatalysis, 1270.

Colli. See De Colli.

Collie, J. N., constitution of turpentine and camphor, 864.

Collie, N., and W. S. Myers, production of pyridine derivatives from the lactone of triacetic acid, TRANS., 721.

Collot, A., rapid weighing on precision balances, 270.

Colman, H. G., the preparation of glycollic acid, PROC., 1892, 72.

Colot, E., temperature of saturated vapours of various liquids under the same pressure, 1143.

Colson, A., stereochemistry of diacetyl-tartaric acid, 669, 758.

Combemale and Brunelle, physiological action of trimethylamine, 366.

Comstock, W. J., and R. R. Clapp, derivatives of aromatic formyl compounds, 707.

Comstock, W. J., and W. Koenigs, halogen derivatives of the cinchona alkaloids, 1010.

Comstock, W. J., and H. L. Wheeler, alkyl derivatives of isosuccinimide, 701.

— — anilides, isoanilides, and their analogues, 705.

Coninck. See De Coninck.

Conrad, M., isarabic acid, 1432.

Conrad, M., and C. Brückner, halogen derivatives of malonic acid, 39.

Conrad, M., and L. Limpach, synthesis of quinoline derivatives by means of alkyl acetoacetates, 78.

Cooper, W. J. See Wanklyn.

Coquillion and Henrivaux, decomposition of hydrocarbons with steam, 288.

Cornevin, C., action of pilocarpine on the excretion of milk, 365.
 — influence of vegetable poisons on the germination of seeds, 228.

Costa, T., refractive power of isocyanides and nitriles, 757.

Costa, T. See also Nasini.

Cousin, H., homocatechol and two nitrohomocatechols, 1443.

Crafts, J. M., separation of the xylenes, 1134.

Craig, G., estimation of sulphur, 382.

Cramer, C., oximidocetic acid, 699.

Crepieux, P., aromatic hydroxyketones, 62.

Cripps, R. A., estimation of volatile oil in copaiba, 244.

Crismér, L., crystalline products from lemon and bergamot oils, 349.
 — detection of tartaric acid in citric acid, 546.
 — detection of turpentine and other impurities in essences, 386.
 — formation of hydroxamic acids of the fatty acids by means of acid anhydrides, 828.
 — preparation of crystallised hydroxylamine, 771.
 — preparation of pure hydrogen peroxide solutions, 270.
 — reaction of certain essences with manganous salts, 386.
 — test for hydrogen peroxide, 381.

Cristaldi. See Grassi-Cristaldi.

Crocco, P., detection of albumin in urine, 667.

Cross, C. F., and E. J. Bevan, cellulose, 693.
 — — — constitution of the lignocelluloses, 129.
 — — — volumetric estimation of alumina, 535.

Crossley, A. W., optical properties of dulcitol and its derivatives, 1419.

Cuénot, L., respiratory value of haemocyanin, 1370.

Cumenge, E. See Mallard.

Curchod. See Juillard.

Curtiss, R. S. See Fischer.

Curtius, T., azoimide, 112.

Curtius, T., and H. Lang, substitution of the azo-group for ketonic oxygen, 451.

Curtius, T., and L. Pflug, secondary asymmetrical hydrazines, 456.

Cybulski, G. See Bistrzycki.

D.

Daccomo, G., dithiocarbonic acids, 306.

Daccomo, G., metachlorothiophenol, 306.
 — — — ortho- and para-chlorothiophenol, 307.

Dains, F. B. See Bradley.

Dambergis, A. K., mineral springs of Edepsos, 418.

Damerow, F. See Liebermann.

Dancy, F. B., estimation of phosphoric acid in fertilisers, 1029.

Danner, E. W. See Gooch.

D'Arsonval, A., reactions of carbonic anhydride at high pressures, 274.

Dastre, A., formation of sugar in the organism when oxygen is deficient, 362.

Daubrée, native iron from Cañon Diablo, 947.

Davidsen, N. See Claus.

Davies, H. E., calcium phosphate from solution in acetic acid, 407.

Davies, H. O. See Herringham.

Davies, S. H., alkyl and acidyl sulphides, 300, 581.

Davies, S. H. See also Feith.

Davison, J. M., kamacite, tænitæ, and plessite from the Welland meteoric iron, 24.

De Boisbaudran. See Boisbaudran.

De Bruyn. See Lobry de Bruyn.

De Chalmot, G. See Günther.

De Chalmot, G. J. L., condensation products of furfuraldehyde with aromatic bases, 1451, 1452.

De Chardonnet, specific gravity of fibres, 1036.

Decker, H., action of alkalis on alkyl-iodides of the quinoline and acridine series, 879.
 — — — so-called γ -bromoquinoline, 630.
 — — — some ammonium compounds, 729.

De Colli, N., detection of alum in wines, 1523.

De Coninck, O., reactions of amido-benzoic acids, 847, 1380.

De Forcrand, constitution of pyrogallol, 1446.
 — — — dimetallic derivatives of dihydric phenols, 1185.
 — — — disodium glycol, 421.
 — — — monosodium catechol, 1184.
 — — — monosodium mannitol, 800.
 — — — monosodium resorcinol and monosodium quinol, 1184.
 — — — sodiobromethylcarbinol: value of the tertiary alcoholic function, 1066.
 — — — sodium isopropoxide, 691.
 — — — sodium pyrogallol, 1313.
 — — — thermal function of phenol, 1042.
 — — — thermal value of the hydroxyl groups in glycol, 576.

De Forcand, thermochemistry of sodium isopropoxide, 674.
 —— value of the primary alcoholic function, 799.

Dehérain, P. P., phosphoric acid of the soil, 233.

De Koninck, L. L., estimation of free oxygen by means of nitric oxide, 97.

De Koninck, L. L., and M. Ledent, action of alkali sulphides on metals of the iron group, 537.

De Koninck, L. L., and E. Nihoul, estimation of soluble chlorides, bromides, and iodides, 527.

Delachanal. See Vincent.

Delacre, M., synthesis of symmetrical triphenylbenzene, 993.

De la Harpe, C. See Reverdin.

Delebecque, A. See Duparc.

Delépine, alcoholic solutions of ammonia, 1049.

Delisle, A., conversion of unsaturated acids into their stereochemical isomerides by soda, 297.
 —— thietincarboxylic acids, 1433.

Del Lungo, C., pressure and specific volume of saturated vapours, 263.

Delmont, L., action of alkali sulphides on chloroform, 421.

Démètre-Vladesco, action of chlorine on some fatty ketones, 424, 810.

Demme, W., new albumin from protoplasm, 86.

De Mondesir, P., inorganic acid substance in soils, 1513.

Demyanoff, N., pentamethylene glycol and its oxides, 1292.

Denigès, G., action of pyridine bases on sulphites, 1103.
 —— microscopic detection of sulphurous anhydride, 237.
 —— preparation of bromoform from acetone and sodium hypobromite, 126.
 —— preservation of solutions of meta-phenylenediamine and its employment as a reagent, 1124.

Dennstedt, M., Étard's glycoline and Stoehr's dimethyldiazine, 633.

De Raczkowski. See Trillat.

Desch, C. H. See Meldola.

Desrez, A. See Béhal.

Dessauer, H. See Buchner.

De St. Martin, L., estimation of carbonic oxide, 1128.

Desvignes. See Béhal.

Deutzmann, A., furfurylamine, 43.

De Varda, G., condensation of nitro-benzaldehydes with salicylic acid, 621.
 —— nitro-derivative of methyl α -hydroxypropionate, 583.

Deventer. See Van Deventer.

De Vries, H. J. F., and A. F. Holle-

mann, phenylhydrazine acetate, 981.

Di Boccard, G., manganese hydroxide from the Euganean, Italy, 689.

Dickhuth, F. See Liebermann.

Dieckmann, W., amidine picrates, 705.

Dieckmann, W. See also Bamberger.

Dieterici, C., theory of heat of dissolution and of osmotic pressure, 676, 765.

Dietze, A., new Chilian minerals: drapskite, lauarite, iodochromite, 124.

Ditte, A., iodic acid and its salts, 1388.
 —— metallic borates, 565.

Dittrich, M., and V. Meyer, derivatives of ethyl dinitrophenylacetate, 178.

Divers, E., and T. Haga, imido-sulphonates, TRANS., 943.

Dixon, A. E., action of bromine on allylthiocarbimide, TRANS., 545.
 —— di-substituted semithiocbazides, TRANS., 1012.
 —— chemistry of the compounds of thiourea and thiocarbimides with aldehyde-ammonias, TRANS., 509.
 —— isomerism amongst the substituted thioureas, TRANS., 536.

Dobbie, J. J., and A. Lauder, corydaline, TRANS., 244, 605.

Dollfus, W., configuration of aldonoximes, 1174.
 —— configuration of γ -ketoximic acids, 1202.

Domergue, A., and C. Nicolas, analysis of tea, 926.

Donath, E., analytical application of barium and hydrogen peroxides, 1031.
 —— separation of manganese and zinc, 384.

Donner, A., benzeneazo- α -naphthyl-glycine and its nitro-derivatives, 191, 1100.

Dormeyer, C. See Freund.

Dorp. See Van Dorp.

Doss, B., meteorite of Bischoff, Kurland, Russia, 1059.

Dott, D. B., assay of opium, 926.

Douglas, P., nitrogenous derivatives of thiophen and furfuran, 831.

Dralle, C. See Schall.

Drechsel, E., decomposition of albumin, 515.
 —— new reaction of xanthine and allied compounds, 1534.
 —— presence of cystin and xanthine in the horse's liver, 516.

Dreschsel, E., and T. R. Krüger, lysine, 1500.

Drechsel, E. See also Abel.

Drewes, D. See Otto.

Drouin, R. See Gautier.

Drown, T. M., and A. G. McKenna, direct estimation of aluminium in iron and steel, 102.

Dubelir, D., influence of water and sodium chloride on nitrogenous excretion, 904.

Duboin, A., artificial formation of potassium nepheline, 1286.

— artificial production of leucite, 1161.

Du Bois Reymond, R., impure chloroform, 745.

Duclaux, supposed reaction of spermine, 1300.

Dudley, W. L., colours and absorption spectra of thin metallic films and of incandescent metallic vapours: electrical volatility, 1037.

Dufton, S. F., hydrazines of quinoline, *TRANS.*, 782.

Dumont. See Schmitz-Dumont.

Duncan, W., solubility of iodine in chloroform, 769.

Dunlap, F. L. See Freer.

Dunnington, F. P., distribution of titanic oxide on the earth's surface, 791.

Dunstan, W. R., mercuric zinc cyanide, a study of the mode of formation and properties of an insoluble double salt, *TRANS.*, 666.

Dunstan, W. R., and T. S. Dymond, the existence of two crystalline acetaldoximes, *TRANS.*, 470, *PROC.*, 1892, 135.

Dunstan, W. R., and F. W. Passmore, the aconite alkaloids. Part III. The formation and properties of aconine, and its conversion into aconitine, *TRANS.*, 395.

Dunstan, W. R., and J. C. Umney, the aconite alkaloids. Part II. The alkaloids of true *Aconitum napellus*, *TRANS.*, 385.

Duparc, L., and A. Delebecque, waters and basins of the Lakes of Aiguebelette, Paladru, Nantua, and Sylans, 1061.

Dussaud, F., refraction and dispersion of sodium chlorate, 1.

Duvillier, E., diethylamidocaproic acid, 294.

— dimethylamidopropionic acid, 1302.

Duvillier, E., and F. Chancel, action of ammonia on bromisobutyric acid, 1302.

Dyer, H. L. See Colby.

Dymond, T. S., the existence of hyoscyamine in the lettuce, *TRANS.*, 90.

Dymond, T. S. See also Dunstan.

Eakins, L. G., astrophyllite and tscheffkinite, 22.

— triplite and kaolin from the United States, 1406.

Easterfield, T. H., and W. J. Sell, anhydro-derivatives of citric and aconitic acids, *TRANS.*, 1003.

Ebert, R. See Braun.

Ebstein, W., physiological action of pentoses, 1506.

Eckart, C. U., German and Turkish rose oils, 203, 625.

Edeleanu, L., action of phenylhydrazine on carbamide, 1323.

Edeleanu. See also Istrati.

Edkins, J. S., absorption of water from the alimentary canal, 1258.

Edwards, V., estimation of nitrogen, 1125.

— estimation of phosphoric acid in slags, 382.

Effront, J., conditions influencing the action of fluorides on fermentation, 906.

— new method of yeast purification, 905.

Ehrenberg, A., and C. Purfürst, aconitine, 1254.

Ehrlich, S. See Pictet.

Eichengrün, A. See Graebe.

Eijkman, C., tropical anaemia, 363.

Eiloart, A., stereochemical models of organic molecules, 679.

Einhorn, A., preparation of α - and β -pyridyllactic acid from α -picoline, 75.

Einhorn, A., and L. Fischer, action of hypochlorous acid on tropine, 1014.

— — nitroatropine, 1014.

Einhorn, A., and B. Rassow, dihydroxyanhydroecgonine, 1015.

Eitner, P., action of sulphuric anhydride on nitriles, 713.

Eitner, P., and F. Krafft, mechanism of the formation of tricyanides from nitriles and acid chlorides in presence of aluminium chloride, 1183.

Elbs, K., paranthracene, 347.

Elfeldt, P., oxyazolines and pentoxyazolines, 213.

Elfeldt, P. See also Gabriel.

Eliasberg, J., and P. Friedländer, condensation of orthamidobenzaldehyde, 1106.

Elion, H., estimation of maltose, dextrose, and dextrin in beer wort, 248.

Elkeles, G., cineolic acid, 1480.

Ellenberger and Hofmeister, digestion of starch by dogs, 516.

Emich, F., action of potassium hydroxide on nitric oxide, 940.

Emich, F., behaviour of nitric oxide at high temperatures, 940.
 — preparation of nitric oxide, 939.
 — reaction between nitric oxide and oxygen, 940.

Emmerling, A., earth-nut meal, 92.

Emmerton, F. A., estimation of phosphorus in pig-iron, steel, and iron ores, 529.

Engel, the variations in colour of cobalt chloride, 569.

Engel, R., influence of ammonia on the solubility of ammonium chloride, 276.
 — reaction between potassium permanganate and hydrogen peroxide, 277.

Ephraim, J., amidoquinolines, 1488.

Eppens, A. See Koenigs.

Erdélyi, J., detection of foreign fats in butter, 1532.

Erdmann, H., condensation of levulinic acid with aldehydes, 147.

Erlenbach, A., action of sodium on ethyl chloracetate, 953.
 — preparation of symmetrical dichloracetone, 952.

Ernst, C., putrefaction of bile, 518.

Errera, G., action of potassium hypobromite on the amide of camphoric acid, 1345.

Errera, G., and G. Baldracco, para-methylhydratropic acid, 605.

Essner, J. C., composition of some natural subterranean waters near Port-Vendres, 285.
 — precipitation of copper by iron, and the action of iron on ferric solutions, 276.
 — siphon for hot liquids, &c., 270.

Étard, A., colorations of solutions of cobalt, and the state of the salts in the solutions, 278.
 — compounds that accompany chlorophyll in leaves, 746.
 — formation of bromaldehydes and bromoketones by the action of bromine on alcohols of the ethyl series, 809.
 — method of analysis of chlorophyllic extracts: nature of chlorophyllane, 1136.
 — organic liquids as solvents for metallic salts, 558.
 — state of salts in solution: sodium sulphate and strontium chloride, 397.
 — the chlorophyllic substances of the pericarp of the grape, 874.

Etz, P. See Jannasch.

Evans, W. P., attempts to prepare metallic chromium from chromic fluoride, 19.

Evers, F., new condenser for laboratory purposes, 400.

Evershed, F. See Green.

Ewan, T., and W. R. Ormandy, a method of measuring the vapour pressures of solutions, *TRANS.*, 769.

F.

Fabris, L., detection of atropine, 1534.

Failyer, G. H. See Willard.

Falières. See Barthe.

Farnsteiner, K., volumetric estimation of combined sulphuric acid, 1515.

Farrington, O. C., chemical composition of iolite, 793.

Fauconnier, A., action of phosphoric chloride on ethyl oxalate, 588.

Feist, F., chlorinated diacetylacetone, 811.
 — constitution of dehydracetic acid, 587.
 — dehydracetic acid, 584.
 — dehydracetic chloride, 587.

Feit, W., ascharite, a new borate, 792.
 — heintzite, 791.

Feit, W., and K. Kubierschky, extraction of rubidium and caesium compounds from carnallite, 1395.
 — — use of bromic acid in quantitative analysis, 910.

Feith, E., derivatives of mesitylene, 329.
 — methyl mesitylenecarboxylate, 715.

Feith, E., and S. H. Davies, action of hydroxylamine on acetomesitylene, 314.

Fermi, C., solubility of fibrin, 897.

Ferratini, A. See Zatti.

Field, Miss E., chromic acid, *TRANS.*, 405.

Fileti, M., analysis of the barium group, 660.

Fileti, M., and V. Abbona, hydroxy-derivatives of cumonitrile, 595.

Fileti, M., and L. Boniscontro, oxidation products of paradibromo-homocumic acid, 604.

Filsinger, F., analysis of crude glycerol, 544.

Fink, E., phosphopalladious compounds, 1285.

Fiquet, E., synthesis of unsaturated nitriles, 1340.

Firtsch, G., rumpsite, 417.

Fischer, E., new isomeride of galactonic acid and of mucic acid, 299.

Fischer, E., and R. S. Curtiss, optically isomeric galonic acids, 822.

Fischer, E., and J. Hertz, reduction of mucic acid, 824.

Fischer, E., and K. Landsteiner, glycollaldehyde, 1424.

Fischer, E., and O. Piloty, new pentonic acid and the second inactive trihydroxyglutaric acid, 437.

Fischer, E., and A. J. Stewart, aromatic sugars, 1447.

Fischer, E., and others, sugars richer in carbon from glucose, 1164.

Fischer, L. See Einhorn.

Fischer, O., orthodiamines, 1472.

Fischer, O., and E. Hepp, formation of indulines, 1476.

— studies in the induline group, 341.

Fischer, O., and H. Wreszinski, action of formaldehyde on orthodiamines, 1496.

Fischer, P., action of ammonia and aniline on negatively substituted halogenised benzenesulphonic acids, 331.

— chloronitrobenzenesulphonic acids, 182.

Fischer, W. See Jacobson.

Fittig, R., decomposition of dibromides of unsaturated acids by warm water and dilute alkalis, 959.

— lactonic acids, lactones, and unsaturated acids, 812, 956.

Fittig, R., and C. Christ, some new lactones, 962.

Fittig, R., and R. Claus, new derivatives of coumarin, 988.

Fittig, R., and M. C. Clutterbuck, tetrolic acid, 961.

Fittig, R., and J. Hillert, decomposition of dibromocaproic acid, 960.

— oxidation of hydroisorbic acid, 959.

Fittig, R., and W. D. Hoeffken, divalolactone, 814.

Fittig, R., and E. Kochs, oxidation of crotonic acid and isocrotonic acid, 957.

Fittig, R., and E. Mayer, oxidation of hydrocinnamylacrylic acid, 986.

Fittig, R., and P. Obermüller, oxidation of phenylisocrotonic acid, 986.

Fittig, R., P. Obermüller, and C. Schiffer, decomposition of phenyldibromobutyric acid, 987.

Fittig, R., and G. Parker, condensation of pyruvic acid with dicarboxylic acids, 814.

Fittig, R., and R. Ruer, oxidation of cinnamic acid, 986.

— — oxidation of ethylerconic acid, 958.

Fittig, R., and J. Stern, decomposition of phenyldibromovaleric acid, 987.

— — hydrocinnamylacrylic acid, 988.

Fittig, R., and K. T. Ström, action of sodium ethoxide on butyrolactone, 813.

Fittig, R., and K. Urban, decomposition of dibromovaleric acid, 960.

— — oxidation of allylacetic acid, 958.

Flavitzky, F., correlation of oxygen and hydrogen compounds of the elements, 1270.

Fleischhauer, H., condensation of cyanides with ethereal salts, 431.

Fleissner, F. See Lippmann.

Fleurent, E., action of potassium cyanide on ammoniacal cupric chloride, 1065.

— — ammonio-copper ammonium cyanide, 420.

Fleury, G., estimation of tannin, 1135.

Flink, G., braunite and friedelite from Sweden, 1405.

Fock, A., and K. Klüss, ammonium dithionate hydrochloride, 13.

— — thiosulphates, 12.

Foerster, F., action of superheated water and solutions of alkalis and salts on glass, 1401.

— — derivatives of carbonyl chloroplatinates, 352.

Foerster, F. See also Mylius.

Foerster, O., estimation of phosphoric acid by the molybdic process, 1519.

Fogh, J., sugars, 933.

Foote, A. E., discovery of diamonds in meteoric iron, 284.

— new meteoric iron from Maryland, 794.

Forbes, M., apparatus for washing precipitates, 1518.

Forcrand. See De Forcrand.

Formánek, E., formation of uric acid from cyanacetic acid and carbamide, 149.

— influence of hot baths on the excretion of nitrogen and uric acid from the human system, 1503.

Forssel, G., action of ethylenediamine on thiamides, 1247.

Forte, O. See Oglialoro.

Foster, W., note on the carbon deposited from coal-gas flames, Proc., 1892, 46.

Fraenkel, S. See Kerry.

Franceschi, G., volumetric estimation of arsenic acid, 1519.

— volumetric estimation of gold, 1526.

Francesconi, L., santonic acid, 1352.

Franchimont, A. P. N., acetaldoxime, 951.

— action of nitric acid on the amidines, 951.

Frank, B., assimilation of free nitrogen in plants in its dependence on species, on nutrition, and on soil, 370.

— to what extent is atmospheric nitrogen assimilable?, 1507.

Franke, E., action of sulphonate chlorides on orthoamidobenzamide, 334.

Frankel, L. K., oxidation of arsenic by the electric current, 752.

Frankland, Mrs. G. C., morphological characterisation of *Bacillus ethacetosuccinicus*, TRANS., 275.

Frankland, P. F., and W. Frew, a pure fermentation of mannitol and dulcitol, TRANS., 254.

Frankland, P. F., and J. S. Lumsden, decomposition of mannitol and dextrose by the *Bacillus ethaceticus*, TRANS., 432.

Frankland, P. F., and J. MacGregor, fermentation of arabinose with the *Bacillus ethaceticus*, TRANS., 737.

Franzek, C. J. See Jannasch.

Fredericq, L., haemocyanin, 1370.

Freer, P. C., ethyl acetacetate, 953.

— lecture experiment illustrating the effusion of gases, 1150.

Freer, P. C., and F. L. Dunlap, hydrolysis of substituted ethyl acetates, 1148.

Freinkel, M. See Kehrmann.

French, W., estimation of gold, tin, and cadmium in alloys, 1030.

Fresenius, R., Julianen and Georgen springs at Eilsen, 796.

— separation of barium from calcium, 100.

Fresenius, W., recognition of potato starch sugar in wines, 922.

Fresenius, W., and F. Ruppert, solubility of calcium and strontium chromates in dilute alcohol, and the separation of these metals as chromates, 914.

Freudenberg, H., a new principle of electrolytic separation of metals, 1521.

Freund, E., volumetric estimation of sulphuric acid in urine, 1377.

Freund, M., and C. Dormeyer, hydrastine, 223.

Freund, M., and W. Josephy, alkaloids of the root of *Corydalis cava*, 1366.

Freund, M., and W. Rosenstein, cinchonine, 892.

Freund, M., and F. Schönfeld, interaction of nonylamine and nitrous acid, 132.

Freund, M., and H. Wolf, action of thiocarbonyl chloride on aromatic thiocarbamides, 983.

Freund, M., and others, biazolones, 508.

Frew, W. See Frankland.

Freyer, F., and V. Meyer, boiling point of zinc chloride and bromide, and ignition temperature of electrolytic gas, 680.

Fricke, E., estimation of nitrogen in nitrates, 527.

Friedel, C., ethyl camphorates and isocamphorates, 500.

Friedländer, P., and S. Szymanski, nitration of β -naphthylamine, 1232.

Friedländer, P. See also Eliasberg.

Friswell, R. J., note on the action of dilute nitric acid on coal, PROC., 1892, 9.

Fromm, E., phenyldithiobiuret, 844.

Fromm, E. See also Baumann.

Früstück, E. See Wallach.

Fubino, S., detection of vegetable fibre in silk or woollen tissue, 667.

Fuchs, F., a new combustion furnace, 1514.

Fuchs, O. See Zincke.

G.

Gabriel, S., ϵ -chloramylamine and synthesis of piperidine, 717.

— δ -chlorobutylamine: synthesis of pyrrolidine, 131.

— estimation of cellulose, 923.

— preparation of primary amines by means of potassium phthalimide, 157.

— thio-derivatives of ethylamine, 130.

Gabriel, S., and G. Cohn, diphenylmaleic anhydride, 178.

Gabriel, S., and P. Elfeldt, meso-phenylpentoxazoline, 212.

Gabriel, S., and R. Jansen, quinazolines, 217.

Gabriel, S., and A. Neumann, formation of oxazolines, 1331.

Gabriel, S. See also Hofmann.

Gaess, F., nitro- β -naphthols, 1229, 1341.

Gal, J., formation of plastic sulphur from sulphur vapour, 1150.

Ganelin, S., and S. v. Kostanecki, constitution of orthohydroxyazo-dyes, 506.

Gans, L. See Benedikt.

Garelli, F., derivatives of cyanacetophenone, 845.

— oximes of some ketonic acids, 327.

Garny, F., action of hydroxylamine on derivatives of succinic and glutaric acids, 136.

Garrod, A. E., haematoxylurinuria, 1506.

— urobilinoporphyrin, 744.

Garzarolli-Thurnlaekh, K., γ -trichloro- β -hydroxybutyric acid: new synthesis of malic acid, 429.

Garzino, L., tetrahydropyrazine, 633.

Gassend, A., detection of sesame oil in olive oil, 1133.

— presence of boric acid in products of the soil, 93.

Gattermann, L., and A. Cantzler, aromatic isocyanates, 832.

Gattermann, L., and R. Hözlé, replacement of the hydrazine group by halogens, 842.

Gattermann, L., E. S. Johnson, and R. Hözlé, acid hydrazides, 843.

Gattermann, L., and O. Neuberg, synthesis of dehydrothiotoluidine, 839.

Gautier, A., origin of the colouring matters of the vine: ampelochroic acid, 1242.

Gautier, A., and R. Drouin, fixation of atmospheric nitrogen by arable soils, 522.

Gautier, A. See also Hanriot.

Gautier, H., and G. Charpy, direct combination of chlorine and bromine with metals, 118.

Gautier, H. See also Moissan.

Gawalowski, A., block support for tubes, 9.

Gaze, R., propionates, 140.

Geelmuenden, H. C., estimation of uic acid, 1032.

Genth, F. A., hübnerite, lissite, bismutite, and natrolite, 793.

Genvresse, P., synthesis of tartaric acid, 822.

Georgescu, M., tetrahydroketoquinoloximes, 886.

Georgescu. See also Istrati.

Georgievics, G. v., action of carbonic anhydride and ferric hydroxide on tricalcium phosphate, 408.

Gérard, vegetable cholesterol, 1294.

Gérard, E., derivatives of daturic acid, 582.

Gerlach, M., β -ethylthiophen and thiophen- $\alpha\beta$ -dicarboxylic acid, 829.

Gernez, D., compounds of sorbitol and perseitol with molybdates, and their rotatory power, 422, 800.

Geyger, A. See Töhl.

Gefeller, E. See Graebe.

Gibbins, B. H., estimation of iron and aluminium by the Glaser method, 755.

Gibbs, W., electrolytic estimation of metals as amalgams, 753.

Gibson, C., differences in the estimation of reverted phosphoric acid by the American official method, 1126.

Gibson, J. See Brown.

Giesel, F., alkaloids from Javan coca leaves, 361.

Gigli, T., estimation of iodates in potassium iodide, 657.

Gilbault, H., compressibility of saline solutions, 766.

Gilbert, J. H. See Lawes.

Gill, A. C., minerals from the chrome iron ore deposits of Maryland, 1057.

Gill, A. H., improved pipette for gas absorptions 1124, 1374.

Gilpin, J. E., mercurous hypochlorosulphite, 780.

Giorgis, G., action of hydrogen peroxide and of water saturated with carbonic anhydride on magnesium, 17.

— siliceous sand of Monte Soratte, 23.

Giorgis, G. See Piccini.

Girard, A. C. See Müntz.

Giustiniani, E., action of heat on the hydrogen malates of methylamine and benzylamine, 820.

Glaser, gasometric estimation of nitric acid, 1375.

Glaser, C., estimation of aluminium phosphate, 1523.

Glatzel, E., antimony thiophosphate, 413.

Glendinning, T. A. See Moritz.

Glenk, R., *Cicuta maculata*, 232.

Glogner, M., specific gravity of the blood of Europeans living in the tropics, 363.

Glücksmann, C., β -trimethylethylidenelactic acid, 38.

Göttig, C., dichlorhydrin parahydroxybenzoate, 715.

— isomeric dichlorhydrin metahydroxybenzoate, 471.

Goldbeck, O., nitrogenous derivatives of parahomosalicylic acid, 318.

Goldberg, B., formation of rosaniline, 340.

Goldberg, G., P. Kunz, and K. Kraut, glycocine and its derivatives, 294.

Goldschmidt, H., and H. Bardach, diazoamido-compounds, 977.

Goldschmidt, H., and A. Pollak, hydroxyazo-compounds, 974.

Goldschmidt, H., and E. Zanol, oximes of furfuraldehyde, thiophenaldehyde, and *o*-anthaldehyde, 1433.

Goldschmidt, G., opianic acid, 179.

Goldschmidt, G., and R. Jahoda, ellagic acid, 990.

— substances contained in the petals of *Gentiana verna*, 205.

Gonnet. See Jablin-Gonnet.

Gooch, F. A., and E. W. Danner, separation of antimony from arsenic, 541.

Gooch, F. A., and H. W. Gruener, estimation of antimony, 242.

Gooch, F. A., and T. S. Hart, detection and estimation of potassium spectroscopically, 913.

Gooch, F. A., and C. G. Smith, estimation of chlorates, 236.

Gore, G., changes of E.M.F. and temperature by mixing electrolytes, 930.

— changes of voltaic energy of alloys during fusion, 254.

— relation of E.M.F. to latent heat, sp. gr., &c., of electrolytes, 257.

Gorgeu, A., decomposition of silver permanganate, 942.

Gossart, E., application of capillary phenomena to the analysis of liquids, 236.

Gottlieb, E., estimation of fat in milk, 549.

Gouy, electrocapillary phenomena, 760.

— electrocapillary phenomena and differences of contact potential, 553.

Gowan. See McGowan.

Goyder, G. See Rennie.

Graebe, C., and A. Eichengrün, action of heat on salicylic acid, 1208.

— behaviour of aromatic hydroxyketones with sulphuric acid and with ammonia, 1226.

— hydroxyketone dyes, 1224.

Graebe, C., and E. Gfeller, oxidation of acenaphthene, 863.

Graebe, C., and K. Lagodzinski, phenylanthranilic acid and acridone, 1086.

Graffenberger, L., decomposition of fibrin, gelatin, *p*-tione, and asparagine in the human body, 904.

Graffenberger, L., estimation of free hydrochloric acid in the stomach, 236.

Gram, J., paradiamidoliphenylmethane, 618.

Grande, E., phenolphthalein ethyl ether, 1096.

Grandis, V., chrysophanic acid, 1354.

Grandmougin, E., and O. Michel, homonucleal amidonaphthols and related derivatives, 861.

Granger, copper phosphides, 410.

— mercury phosphide, 1398.

Grassi-Cristaldi, G. See Gucci.

Grawitz, S., dyeing with aniline-black in the dry way, 323.

Gray, J., apparatus for determining the flashing point of heavy mineral oils, 542.

Green, A. G., and F. Evershed, estimation of nitrous acid, 751.

Gréhant, N., absorption of carbonic oxide by the blood of a living mammifer, 743.

— detection of minute quantities of carbonic oxide, 99.

Grieppenkerl, J. See Wallach.

Griesbach, A., coagulation of blood, 1112.

Griffiths, A. B., blood of invertebrata, 648.

— chlorocruorin, 1256.

— direct absorption of ammoniacal salts by plants, 229.

— haemocyanin, 898.

— new leucomaine, 1367.

— pinnoglobin, a new globulin, 1016.

— ptomaines of infectious diseases, 1258.

— pupin, 1501.

Grimaldi, G. P., measurement of the sp. heat of liquids at temperatures above their boiling points under ordinary pressures, 761.

Grimaux, E., quinone methiodides, 1363.

Grimaux, E., and A. Arnaud, bases homologous with quinine, 1253.

— conversion of cupreine into quinine, 892.

Gripper, H., rapid method of determining the composition of lubricating oils, 665.

Grittner, A., detection of resin oil in fatty and mineral oils, 548.

Gröger, M., a new oxyiodide of lead, 1280.

Grohmann, A., action of ammonia and aniline on halogen-substituted nitrobenzoic acids, 326.

Grosjean, L., decylene and its derivatives, 691.

Groves, E. W., estimation of uric acid, 546.

Groves, E. W. See also Herringham.

Gruener, H. W. See Gooch.

Grünhut, L., Rose's process for the estimation of alcohol, 1031.

Grünwald, A., Hasselberg's so-called second or compound hydrogen spectrum and the structure of hydrogen, 1881.

Grützner, B., stability of potassium permanganate solution, 1524.

Guareschi, I., action of ethyl cyanacetate on organic bases, 1071.

— platinum thiocyanates and platinothiocyanates, 286.

— γ -substituted hydantoins: carbamido-acids, 827.

Gucci, P., and G. Grassi-Cristaldi, derivatives of santonin, 869.

Guenez, E., arsenic cyanide, 1164.

Günther, A., G. de Chalmot, and B. Tollens, formation of furfuraldehyde from glycuronic acid derivatives and from albumin, 1433.

— — — estimation of furfuraldehyde and of pentoses, 388.

Guillemin, G., micrographic analysis of alloys, 1399.

Gumlich, G., the excretion of nitrogen in urine, 1503.

Gunning, J. W., preparation of raffinose from molasses, 422.

Guntz, action of carbonic oxide on iron and manganese, 568.

Gustavson, G., action of zinc-dust and alcohol on chlor- α -dibromhydrin, 1293.

Guye, P. A., molecular dissymmetry, 399, 758.

— stereochemistry and the laws of rotatory power, 759.

H.

Haack, K., separation of phosphoric and arsenic acids from mercury, and of nitric acid, chlorine, and sodium from mercury, phosphoric, and arsenic acids, 530.

Haegle, E., condensation products of amidophenols, 1451.

Haeussermann, C., and C. Beck, action of chlorine on orthonitrotoluene, 1437.

Haga, T. See Divers.

Haig, A., estimation of uric acid, 1133.

Haines, R., iodine number for lard oil by the Hübl method, 664.

Hairs, E. See Jorissen.

Haitinger, L., emission spectra of neodymium and præsodium oxides and of luminous solids containing neodymium, 2.

Halberstadt, E. See Täuber.

Haldane, J., respiration apparatus, 1257.

Haldane, J., and J. L. Smith, air viviated by respiration, 1502.

Hall, W. F., action of nascent hydrogen and nascent oxygen on nitric acid, 680.

Haller, A., action of sodium alkyl-oxides on camphor: preparation of alkylcamphors, 72.

— alkylcyanocamphors and alkyl benzeneazocamphocarboxylates, 1344.

— constitution of camphoric acid, 1347.

— function of camphoric acid, 1346.

— modes of formation of substituted imides, 1204.

Haller, A., and A. Held, ethyl bromacetacetate and cyanacetacetate, 818.

— — haloïd derivatives of ethyl acetoacetate, 697.

Halliburton, W. D., mucin in myxœdema, 1117.

Hamberg, A., minerals from the Harstigen mine, Sweden, 1411.

Hambly, F. J., detection of nickel and cobalt, 1525.

Hamilton, R., precipitation of phosphorus from solutions of iron and steel, 911.

Hammarsten, O., detection of haematoxylin in urine, 1136.

— haematoxylin in urine, 649.

Hammerich, H., action of silver cyanide on dibenzylchlorocarbamide and paraditolylchlorocarbamide, 1084.

— derivatives of dibenzylcarbamic, paraditolylcarbamic, and benzylparatolylcarbamic acids, 1083.

— tetrabenzylloxamide and tetraparatolylloxamide, 1084.

Hampé, W., estimation of bismuth in silver slags, 919.

— estimation of manganese by the chlorate method, 1132.

— estimation of silicic acid in fluorides, 1127.

Handl, A., and R. Příbram, viscosity of liquids, 1143.

Handy, J. O. See Hunt.

Hanriot, action of hydroxylamine on ketonic nitriles, 79.

— assimilation of carbohydrates, 742.

Hanriot and A. Gautier, assimilation of carbohydrates, 742.

Hanriot, M., and C. Richet, physiological action of nickel carbon oxide, 365.

Hantzsch, A., action of hydroxylamine on chloral, 699.
 — aliphatic stereoisomeric glyoximes, 693.
 — configuration of aliphatic ketoximes, 426.
 — configuration of the aldoxime-acetic acids or β -oximidopropionic acids, 1069.
 — decomposition products of anilic acid, 834.
 — isomeric oximes and hydrazones, 1083.
 — nomenclature of stereoisomeric nitrogen compounds and of rings containing nitrogen, 312.
 — relations between constitution, configuration, and chemical behaviour of oximes, 1175.
 — so-called ethyl carbacetoacetate, 819.

Hantzsch, A., and F. Kraft, stereochemical isomerism of nitrogen compounds, 338.

Hantzsch, A., and A. Miolati, dissociation constants of stereoisomeric nitrogen compounds, 1268.

Hantzsch, A., and H. Schiffer, constitution of ethyl chloracetoacetate, 697.

Harker, J. A., reaction of hydrogen with chlorine and oxygen, 1147.

Harley, V., disappearance of sugar from the blood, 363.

Harnack, E., ash-free albumin, 645.

Harpe. See De la Harpe.

Harries, C. D., methyl orthohydroxy-cinnamyl ketone and its derivatives, 169.
 — reduction of salicylaldehyde, 168.

Harrington, B. J., so-called amber of Cedar Lake, Canada, 573.

Hart, T. S. See Gooch.

Hartley, W. N., action of heat on solutions of chromium salts, 571.
 — the acid action of drawing paper of different makes, PROC., 1892, 19.

Hartmann, A. See Liebermann.

Hartung, L., hexamethyleneamine, 1173.

Haubner, G., action of sulphurous anhydride on crotonaldehyde, 424.

Hausdörfer, A. See Bischoff.

Hausser, nitrosulphobenzoic acid, 479.

Hausser, J. See Muller.

Hawkins, E. M. See Meldola.

Hazen, A., estimation of the dissolved matter in water, 920.
 — new colour standard for natural waters, 1527.

Hazen, A., and H. W. Clark, estimation of nitrates in water, 243.

Heaton, C. W., and S. A. Vasey, analysis of peptones, 1535.

Hébert, A., development of cereals, 1119.
 — occurrence in plants of a gum giving rise to xylose by saccharification, 1371.

Hecht, O., thiobiurets, 703.
 — thiocarbamides, cyanocarbamides, and cyanothiocarbamides, 702.

Hector, D. S., action of oxidising agents on aliphatic thiocarbamides, 292.

Heermann, P., 1 : 4-amidonaphthol ethyl ether and its derivatives, 1097.
 — organic phosphorus compounds, 875.

Hehner, O., estimation of boric acid, 384.

Heiber, F., action of methylchloroform and phenylchloroform on alkaline solutions of phenols, 308.
 — diethyl hydrofurfuryllutidinedicarboxylate and its derivatives, 1362.

Heidenreich, A., and V. Meyer, formation of diphenylamine from orthobromobenzoic acid, 1188.

Heim, F., blue colouring matter in the blood of crustaceæ, 898.

Heim, F. See also Abelous.

Heisch, C., obituary notice of, TRANS., 489.

Heise, P., and A. Töhl, action of aluminium chloride on aromatic hydrocarbons, 1309.

Heid, A. See Haller.

Hell, C., and R. Poliakoff, action of α - and β -naphthylamine on ethyl bromosuccinate, 860.
 — — amido- and anilido-derivatives of succinic acid, 819.

Helle, J., orthotolidinedisulphonic acid, 1466.

Hemmelmayr, F. v., base obtained from pyridine, 504.

Hempel, W., new desiccator, 524.

Henrich, F., absorption coefficients of gases, 1043.

Henrichsen, S., magnetism of organic compounds, 672.

Henriaux. See Coquillon.

Henry, P., direct synthesis of primary alcohols, 27.
 — reciprocal transformation of lactones and hydroxy-acids, 1303.

Hepp, E. See Fischer.

Herbabny, J. See Claus.

Héricourt, J., and C. Richet, toxic action of blood and of various tissues, 228.

Hermens, R. See Michaelis.

Herringham, W. P., and H. O. Davies, excretion of uric acid, 365.

Herringham, W. P., and E. W. Groves, excretion of uric acid, urea, and ammonia, 365.

Herty, C. H., double halogen salts of lead, 779.

Hertz, J. See Fischer.

Herzberg, W., and M. Polonowsky, action of nitrous acid on tetra-methyldiamidobenzophenone, 185.

Herzfeld, A., pectin substances, 291.

Herzig, J., euxanthic acid and eu-xanthone, 1354.

— fluorescein, gallin, and aurin, 1319.

Hesse, A. See Wallach.

Hesse, O., alkaloids of belladonna, 1498.

— *Aristolochia argentina*, 894.

— behaviour of cupreine and quinine with methyl iodide, 221.

— cincholine and fluoroline, 1492.

— conversion of cupreine into quinine, 1010.

— isocinchonine, 222.

— quinine hydrochlorides, 514.

— sulphonic acids of cinchona alkaloids, 514.

Heupel, A. See Paal.

Heuser, A., and C. Stoehr, methyl-dipyridyls, 75.

Heusler, F., action of acetic anhydride on diazoamido-compounds, 458.

— lignite tar, 1075.

Heycock, C. T., and F. H. Neville, isolation of a compound of gold and cadmium, TRANS., 914.

— — on the lowering of the freezing points of cadmium, bismuth, and lead when alloyed with other metals, TRANS., 888.

Heydecke, E. See Otto.

Heymann, B., synthesis of indigodisulphonic acid, 69.

Hill, T. E., the Werner-Schmid method of milk analysis, 390.

Hillebrand, W. F., new analysis of uraninite, 283.

— samarskite from Colorado, 416.

Hillebrand, W. F., and W. H. Melville, isomorphous thorium and uranous sulphates, 571.

Hillert, J. See Fittig.

Hills, T. H., obituary notice of, TRANS., 489.

Hiltner, L., approximate estimation of adulteration of earth-nut cake and meal, 1535.

Hinrichs, G., boiling point curves of the normal paraffins, 947.

— boiling points of paraffin derivatives, 797.

— calculation of boiling points of normal isomeric ethereal salts of the fatty series, 260.

Hinrichs, G., calculation of the specific heat of liquids, 2.

— establishment of fundamental formulæ for the calculation of moment of inertia, 948.

— mechanical determination of the boiling points of alcohols and acids, 1039.

— mechanical determination of the boiling points of compounds with complex terminal substitution, 1039.

— mechanical determination of the boiling points of compounds with simple terminal substitution, 948.

— pressure of saturated water vapour, 396.

Hinsberg, O., action of amido-bases on sodium glyoxalsulphonate, 1458.

— behaviour of certain ketonic acids towards hydrogen sodium sulphite, 148.

— benzenesulphonamides and mixed secondary amines, 64.

— benzenesulphonitramide, 850.

— methylhydroxytoluquinonoxaline and the constitution of the compounds obtained from hydroxyanils and ortho-diamines, 1359.

Hinsberg, O. See also Autenrieth.

Hinsdale, S. J., estimation of gallo-tannic acid, gallic acid, and tannin, 390.

Hirsch, R., new synthesis by means of diazo-compounds, 1198.

Hise. See Van Hise.

Hjelt, E., allylethylsuccinic acid and allylmethylsuccinic acid, 697.

— orthohydroxymethylbenzoic acid, 715.

Hodgkinson, W. R., the action of sodium on ethereal salts. Part III. Benzylorthotoluate, PROC., 1891, 167.

Hodgkinson, W. R., and L. Limbach, some new bases. Part I, 6:1:4:3-ethyldimethylamidobenzene, TRANS., 420.

Hoeffken, W. D. See Fittig.

Hölzle, R. See Gattermann.

Hoff. See Van't Hoff.

Hoffmann, E., and V. Meyer, benzoyl compounds, 604.

— — first product of the reduction of nitro-compounds with tin and hydrochloric acid or stannous chloride, 291.

Hoffmann, O., nitrosonaphtholsulphonic acids, 346.

Hoffmeister, W., cellulose-gum, 129.

Hoffmeyer, H. See Meyer.

Hofmann, A. W. v., polymeric methylthiocarbimide, 798.

Hofmann, A. W. v., and S. Gabriel, action of iodine on thiobenzamide, 1109.

Hofmann, A. W. v., and F. Mahla, diethyldithiophosphinic acid, 1422.

Hofmeister, F., crystalline egg albumin, 515.

Hofmeister, F. See also Ellenberger.

Hogg, T. W., estimation of chromium in steel, 538.

Holland, R. J., alteration of the conductivity of a solution by the addition of a small quantity of a non-electrolyte, 1382.

Holle, O., tertiary phosphines and arsines, 984.

Hollemann, A. F., constitution of mercuric fulminate, 25.

— dinitrosaclys, 971.

— isonitrosoanilacetone, 985.

— testing the purity of platinic chloride, 1526.

Hollemann, A. F. See also De Vries.

Holst, A. See Otto.

Holt, A., stereometric relations of erucic and brassidic acids, 429, 812, 1427.

Hoogewerff, S., and W. A. Van Dorp, γ -amidoquinoline, 725.

Hooker, S. C., the constitution of "lapachic acid" (lapachol) and its derivatives, TRANS., 611.

Hooper, D., mineral substance in teak, 230.

Hopkins, F. G. See Starling.

Hoppe-Seyler, colorimetric estimation of haemoglobin, 1264.

Hoppe-Seyler, F., extraction of the dissolved gases in water, 1526.

Hoppe-Seyler, G., new test for sugar in urine, 1529.

Horbaczewski, J., formation of uric acid from nuclein, 646.

Houdas, J., digitaleine, 222.

Hough, O., iodation of parabromobenzoic acid : salts of parabromometa-nitrobenzoic acid, 714.

Howell, E. E., new meteorites, 1413.

Howitz, H. See Claus.

Huber, A., physiological action of dinitrobenzene, 366.

Hugounenq, L., influence of wine on peptic digestion, 87.

Hunt, A. E., G. H. Clapp, and J. O. Handy, analysis of aluminium, 1130.

Hunt, T. S., natural classification of minerals, 415.

Hunter, M., and H. Rosenbusch, monchiquite, a rock of the elaeelite-syenite class, 1058.

Huntington, O. W., the prehistoric and Kiowa Co. pallasites, 1059.

Huppert, Hamburger's method of estimating small quantities of iron, 1525.

Huston, H. A., action of ammonium citrate on high-grade aluminium phosphate, 1127.

I.

Iddings, J. P., and S. L. Penfield, minerals in hollow spherulites of rhyolite, 23.

Igelström, L. J., jacobsite and braunite from Sweden, 1404.

Ikuta, M., action of ethyl acetoacetate on quinone. Synthesis of benzofuran derivatives, 608.

Immendorff, H., the nitrogen question, 374.

Immerheiser, C. See Medicus.

Ingle, H. See Smithells.

Inoko, toxic principle of *Amanita pantherina*, 232.

Isaac, J. F. V., acetic acid from cellulose and other carbohydrates. Lignocellulose and ferric ferricyanide, 1421.

Istel, E., indulines, 492.

Istrati and Edeleanu, action of acetic anhydride on glucose, 1293.

Istrati and Georgescu, iodobenzene, 1310.

J.

Jablin-Gonnet, action of benzyl chloride on unsymmetrical metaxylidine, 314, 1320.

Jackson, C. L., and W. B. Bentley, products of the action of nitric acid on ethyl bromotrinitrophenylmalonate, 1217.

— tribromonitrobenzene, 1182.

Jacobson, J., unorganised ferments, 899.

Jacobson, P., and W. Fischer, reduction products of azo-compounds, 839.

Jäger, G., stoichiometry of solutions, 1382.

Jaffa, M. E., composition of the ramie plant (*Boehmeria*), 1511.

Jahns, E., alkaloids of the areca nut, 737.

Jahoda, R. See Goldschmiedt.

Jaksch, R. v., peptone in the blood and organs of leucæmic patients, 519.

Jandrier, E., nitro-derivative of antipyrine, 730.

Janeček, G., sensitiveness of the haematin spectrum and the formation

of haemin crystals as proof of the presence of blood, 1369.

Jannasch, P., and K. Aschoff, analysis of galena, 662.

— estimation of sulphur in galena and minerals containing lead, 658.

Jannasch, P., and T. Bickes, analysis of galena, 663.

Jannasch, P., and P. Etz, separation of the metals of the hydrogen sulphide group by means of bromine vapour, 385, 540, 754.

Jannasch, P., and C. J. Franzek, separation of manganese, nickel, and cobalt, 240.

Jannasch, P., and R. Niederhofheim, separation of metals in alkaline solution by hydrogen peroxide, 537.

Jannasch, P., and H. Vogtherr, decomposition of chrome iron ore by hydrochloric acid under pressure, 240.

Jannasch, P., and V. Wasowicz, estimation of sulphur in inorganic sulphides. Analysis of molybdenite, realgar, and orpiment, 657.

Jansen, R. See Gabriel.

Jean, F., estimation of glycerol, astringent acids, and colouring matter in wine, 246.

Jeanprêtre, J. See Michaël.

Jenckel, L. See Wallach.

Jenisch, K. See Pechmann.

Joachim, J. See Claus.

Joannis, action of sodiammonium and potassammonium on metals, 275.

— definite alloys of sodium, 773.

Jørgensen, S. M., constitution of cobalt, chromium, and rhodium bases, 783.

— roseochromium salts, 782.

Johnson, E. S. See Gattermann.

Johnson, G. S., reducing agents in normal human urine, 1504.

Johnson, W. See Wanklyn.

Johnstone, A., action of water on mica, 573.

Johnstone, M., fertility of heavy loam increased by lime, 523.

Johnstone, W., estimation of glycerol by alkaline permanganate, 544.

Johnstone, W. See also Wanklyn.

Joly, A., action of light on ruthenium peroxide, 282.

— ruthenium chloride and hydroxychloride, 688.

— saline compounds of the lower ruthenium oxides with the higher oxides, 282.

Joly, J., determination of the melting point of minerals, 414.

Jolyet, F., and C. Sigalas, dissolved nitrogen in blood, 1257.

Jones, H. C., the volumetric estimation of mercury, *TRANS.*, 364.

Jones, H. C. See Morse.

Jones, J., decomposition of minerals containing titanium, 664.

Jones, R., analysis of phosphates, 99.

Jorissen, A., and E. Hairs, linamarin, 502.

Josephy, W. See Freund.

Joslin, E. P. See Chittenden.

Jüptner, H. v., Wiborgh's gasometric method for the estimation of carbon in iron, 1030.

Juillard, P., Turkey-red oil, 819.

Juillard and Curelod, depression of the melting point by phenol, 555.

Jungfleisch, E., and E. Leger, apocinchonine and diapocinchonine, 1253.

— isochinchonines, 222.

Junghahn, A. See Reissert.

K.

Kachler, J., behaviour of the silver salts of organic acids on dry distillation, 37.

Kakuchi, Y., cordierite as contact mineral, 1056.

Kalecsinszky, A., helvine from Hungary, 1412.

Kanonnikoff, A. A., specific rotatory power of tartaric acid and its salts, 1308.

Karau, G., tetravinylpyridine, 1483.

Karau, G. See also Ladenburg.

Karchowski, D. v. See Töhl.

Karstens, H. See Krafft.

Kaufmann, H. See Nietzki, Witt.

Kauthack, A. A., cobra poison, 1118.

Kayser, W., and A. Reissert, julole, 883.

Kehrer, E. A., condensation of levulinic acid with furfuraldehyde, 442.

Kehrmann, F., dinitrosoazobenzene, 1198.

— thymol, 1078.

Kehrmann, F., and M. Freinkel, complex inorganic acids: phosphotungstic acids, 1160.

Kehrmann, F., and J. Messinger, azonium compounds, 1108.

— nomenclature of rings consisting of two carbon and three nitrogen atoms, 889.

— so-called dinitrosoazobenzene, 889.

Keiser, E. H., silver and copper compounds of acetylene, 1416.

Kekulé, A., formaldehyde, 1423.

Keller, H. F. See Lane.

Kellner, O., H. Sakano, D. Sato, and S. Shinjo, action of lime as a manure, with special regard to paddy fields, 93.

Kenna. See Mc Kenna.

Kenngott, A., formula of axinite, 125.

— formula of tourmaline, 1410.

— formulae of Vesuvian minerals, 417.

Keppler, F., and V. Meyer, 1 : 3-dinitropropane, 1061, 1415.

Kerrow. See Mac Kerrow.

Kerry, R., and S. Fraenkel, action of the bacillus of malignant oedema on carbohydrates and on lactic acid, 91.

Kestner. See Scheurer-Kestner.

Kilian, H., digitalin, 1482.

— digitalonic acid, 1241.

— digitonin, 501.

— preparation of digitogenin, 1483.

Kimball, J. P., genesis of iron ores by replacement of limestone, 126.

Kinzel, W., oxidation products of paramidophenetoil, 158.

Kipping, F. S., formation of a hydrocarbon, $C_{18}H_{12}$, from phenylpropionic acid, PROC., 1892, 107.

Kipping, F. S. See also Armstrong.

Kirchner, L., phenyllutidinedicarboxylic acid and phenyllupetidinedicarboxylic acid, 1486.

Kirkaldy, P. H., urea oxalate, 1421.

Kirman, W. See Thorpe.

Kirpal, A., first product of the reduction of nitro-compounds with stannous chloride, 1067.

Kisch, W., estimation of free oxygen dissolved in water, 98.

Kisel, I., action of methyl iodide and of chloroform on nitroisopropane, 1290.

Kislakowsky, E. D., meteorite of Turgaisk, 418.

Kitschelt, M. See Bamberger.

Kitt, M. See Strache.

Kleber, C. See Stohmann.

Kleinstück, O., sp. gr. of Japan wax, 428.

Klett, M. See Baumann, Busch.

Klingemann, F., action of phenylhydrazine on unsaturated γ -di-ketones, 995.

— desylacetic acid, 1002.

— is alcohol eliminated by the milk?, 365.

Klingemann, F. See also Laycock.

Klobb, P., crystallised anhydrous sulphates, 941.

Klobb, T., mineralising influence of ammonium sulphate, 1399.

Klüss, K. See Fock.

Knoevenagel, E. See Chalany.

Knorr, L., acetoacetanilide, 708.

Knorr, L., and P. Duden, pyrazole derivatives, 731.

Knorr, L., and H. Taufkirch, β -methylamidocrotonanilide, 709.

Kobert, R., cyanmethæmoglobin and detection of hydrogen cyanide, 361.

Kobert, R. See also Kruskal.

Koch, K. R., and A. Wüllner, galvanic polarisation at small electrodes, 759.

Kochs, E. See Fittig.

Köbner, E. See Auwers.

Koefoed, E., acids of butter, 1113.

König, E. See Behrend.

König, G., oxidation products of mercapturic acids, 1090.

Koenig, G. A., paramelaconite and footeite, 415.

König, J., Schützenberger's process for the estimation of free oxygen, 98.

Koenigs, W., condensation of chloral with ketones, 694.

— dry distillation of organic silver salts, 293.

Koenigs, W., and R. W. Carl, condensation of isoamylene and cinnamene with phenols, 446.

Koenigs, W., and A. Eppens, camphorone, 626.

Koenigs, W., and C. Mai, condensation of unsaturated hydrocarbons with phenols, 1443.

Koenigs, W. See Busch, Comstock.

Koerner, G., and P. Biginelli, fraxin and fraxetin, 628.

Kohlrausch, F., solubility of glass in cold water, 277.

Kohn, C. A., application of electrolysis to qualitative analysis, 540.

Koller, G., derivatives of paraphenylbenzophenone, 186.

Kondakoff, I., constitution of tiglic and angelic acids, 1304.

Koninck. See De Koninck.

Konovaloff, action of dilute nitric acid on nononaphthene, 443.

— nitration of hydrocarbons of the methane series, 575.

Kopp, K., substitution products of stilbene and thionessal, 718.

Kornauth, C., and A. Arche, metabolism in pigs fed with corn cockle, 1018.

Kornblum, H., excretion of nitrogen in kidney disease, 743.

Kosel, A., derivatives of phenylamidoacetic acid, 467.

Kosel, A. See also Bruhns.

Kostanecki, S. v., xanthones and hydroxyxanthones of the naphthalene and quinoline series, 1098.

Kostanecki, S. v., and B. Nessler, hydroxyxanthones, 504.

Kostanecki, S. v., and R. Rutishauser, hydroxyxanthones, 1096.

Kostanecki, S. v., and S. Seidmann, bye-products in the preparation of hydroxyxanthones, 1097.

Kostanecki, S. v. See also Ganelin.

Kothe, R., alkyl derivatives of hydroxylamine, 316.

Kouklin, E., action of potassium sulphate on strontium carbonate, 1276.

Kowalski, M., hydroxyquinones, 45, 1098.

Koydl, T., precipitation of raffinose by ammoniacal lead acetate, 1294.

Kozai, Y., preparation of teas, 1371.

Krabbe, G., diastase, 92.

Krammer, G., and A. Spilker, condensation products of allyl alcohol with methylbenzenes, 156.

Krafft, F., and A. Beddies, action of bromine on the higher fatty acids, 695.

Krafft, F., and E. Bourgeois, imido-sulphonic acids, 700.

Krafft, F., and H. Karstens, dipar-toluamide and diorthotoluamide, 712.

Krafft, F., and L. Reuter, higher homologues of acetylene, 1163.

Krafft, F., and A. Roos, alkyl salts of sulphonic acids, 1219.

Krafft, F. See also Eitner, Hantzschi, Phookan.

Kraft, G. See Pictet.

Kraus, A., action of nitrous acid on resorcinol diethyl ether and on triethylresorcinol, 44.

Kraus, G., calcium oxalate in the bark of trees, 1370.

Kraut, K. See Goldberg.

Krecke, F. See Paal.

Kremers, E., citronellic aldehyde, 1068.

Kremers, E. See also Sieker.

Kresling, K., pollen of *Pinus sylvestris*, 232.

Kretzschmar, M., commercial assay of alums, 535.

Kreusler, U., direct combination of chlorine with metals, 401.

Kritschenko. See Petrenko-Kritschenko.

Krohl, P., action of oxalic acid and its derivatives on the animal economy, 1019.

Kronstein, A., preparation of symmetrical tribromhydrin, 577.

Krüger, M., adenine, 21^a, 890.

— estimation of small quantities of calcium, 914.

Krüger, T. R. See Drechsel.

Krug, W. H., estimation of iron and aluminium in the presence of phosphoric acid, 755.

Kruskal, N., and R. Kobert, *Agrostemma githago* (corn cockle), 3^a 0.

Kubel, action of magnesium acetate on magnesium oxide and on lead oxide, 1178.

Kubel, W., analysis of Carlsbad salt, 659.

Kubierschky, K. See Feit.

Kühling, O., alloxan hydrazones, 442.

— azines of the uric acid group, 70.

Kühn, B., and J. Riesenfeld, action of carbonyl chloride on benzylamine, 312.

Kümmel, G., separation of precipitates at the boundary of electrolytes, 1038.

Küster, F. W., freezing point of isomorphous mixtures, 396.

Kuntzmann, M., preparation of cuprous acetylidyde, 421.

Kunz, G. F., brookite, octahedrite, quartz, and ruby, 1055.

— meteoric iron from Colfax township, North Carolina, 1059.

— meteoric iron from Ferguson, North Carolina, 1059.

Kunz, G. F., and E. Weinschenk, aërolite from Kansas, 795.

Kunz, P. See Goldberg.

Kuriloff, B., terpenes from the resin of *Pinus abies*, 625.

Kuriloff, V., action of hydrogen peroxide on the hydrated oxides of cadmium, zinc, and magnesium, 1278.

Kurnakow, N., silver compound of thiocarbamide, 441.

Kurtenacker, L. See Nietzki.

Kwasnik, H., action of barium peroxide on metallic salts, 408.

Kwasnik, W., action of ammonia on cadmium chloride, 566.

— crystalline constituent of *Genipa brasiliensis*, 1509.

— kuromoji oil, 1480.

Kwisa, A., action of hydriodic acid on amido-acids, 38.

L.

Laborde, J. V., physiological action of strontium salts, 227.

Lachaud, M., and C. Lepierre, analysis of chrome-yellow, 663.

— — — lead chromate, 567.

— — — new iron salts, 943.

— — — thallium chromate, 567.

Lachaud, M. See also Lepierre.

Lachowicz, B., dissociation of ferric phosphate in presence of water and of saline solutions, 1282.

Lacroix, A., fouqueite, a new mineral, 1056.

Ladenburg, A., dimethyldipiperidyl, 1487.

— hyoscine, 1366.

— nipecotinic acid, 1485.

— piperidinocarboxylic acids, 1486.

Ladenburg A., and G. Karau, iso-nipecotinic acid, 1486.

Lafont, J. See Bouchardat.

Lagai, G., ethoxyphenylsulphonic acids, 1089.

Lagodzinski, K. See Graebe.

Lainer, A., estimation of silver and gold by means of hydroxylamine hydrochloride, 662.

Lamb, T. See Bailey.

Lampe, O. See Michaelis.

Landolt, H., junr., action of halogens on chloranilic and bromanilic acids, 834.

Landsteiner, K., influence of nutrition on the composition of blood ash, 225.

Landsteiner, K. See also Fischer.

Lane, A. C., H. F. Keller, and F. F. Sharpless, chloritoïd, grünerite, and riebeckite from Michigan, 793.

Lang, H. See Curtius.

Lang, W., oxalylorthamidophenyl mercaptan and oxalylorthamido- α -naphthyl mercaptan, 1079.

Langbein, H. See Stohmann.

Lange, K., and A. Zufall, new method for the preparation of some aromatic nitro-ketones, 1459.

Langermann, G., estimation of hydrochloric acid in the contents of the stomach, 1125.

Langlet, N. A., action of β -iodopropionic acid on ethyl thiocarbamate, 440.

Langlois, P., physiological action of nickel carbon oxide, 365.

Lapicque, L., colorimetric estimation of iron, 240.

Laspeyres, H., polydymite, ullmanite, and wolfsbergite, 124.

Lassar-Cohn, cholic acid and dehydrocholic acid, 741.

— presence of myristic acid in ox gall, 1114, 1503.

Latten, M. See Zincke.

Lauder, A. See Dobbie.

Lauenstein, C., viscosity of aqueous salt solutions, 1044.

Laurent, E. See Schloesing.

Lauth, C., diamidosulphobenzide and its derivatives, 1093.

— metadiamidotetramethylbenzidine, 1222.

— oxidation of azo-compounds, 48.

Lauth, C., preparation of β -alizarin-amide, 864.

Lavenir, A., martite, 1055.

Laves, E., chemical and physiological relations of sulphones, 153.

— formation of trisulphones from disulphones, 613.

— sulphones, 850.

— trithiorthoformates, 611.

Lawes, Sir J. B., and J. H. Gilbert, sources of nitrogen of our leguminous crops, 367.

Layeock, W. F., and F. Klingemann, an examination of the products obtained by the dry distillation of bran with lime, Proc., 1892, 138.

Lazareff, Miss P., displacement of hydrogen by haloïds in aromatic hydrocarbons, 1310.

— mutual displacement of haloïds, 1270.

Lea, M. C., allotropic silver, 116.

— allotropic silver. III. Blue silver, 15.

Lean, B., and W. A. Bone, behaviour of ethylene on explosion with less than its own volume of oxygen, TRANS., 873.

Le Bel, J. A., rotatory power of diacetyltartric derivatives, 669.

Lecco, M. T., estimation of glycerol in sweet wines, 1263.

Lechartier, G., composition and cultivation of the Jerusalem artichoke, 1024.

Le Chatelier, H., equilibrium of chemical systems under unequal pressures, 937.

— metallic borates, 404.

— optical measurement of high temperatures, 761.

— reproduction of acid rocks, 23.

— second law of thermodynamics, and its application to chemical phenomena, 3.

Ledent, M. See De Koninck.

Lederer, L., amido- and methamido-crotonanilide, 965.

— nomenclature of pyrazolones, 1004.

— synthesis of pyrazolone derivatives, 634.

Leduc, A., atomic weight of oxygen, 1388.

— composition of water and Gay-Lussac's law of volumes, 1271.

— dilatation of phosphorus, and its change of volume at the melting point, 7.

Leent. See Van Leent.

Leffmann, H., and W. Beam, estimation of fat in milk, 1532.

Leger, E. See Jungfleisch.
 Lehmann, O., artificial colouring of crystals, 269.
 — spheres of condensation and evaporation, 1149.
 Lellmann, E., affinity coefficients of acids, 1269.
 — metachloroparacetoluidide, 450.
 Lellmann, E., and B. Arnold, intramolecular formation of an azo-group, 316.
 — substance containing a ring of 18 members, 890.
 Lellmann, E., and J. Schliemann, affinity coefficients of acids, 1269.
 Lendrich, K., constituents of *Menianthes trifoliata* and of *Erythraea centaurium*, 1262.
 Leonardi, A. See Mazzara.
 Leone, T., and O. Magnanini, nitrification of organic nitrogen, 367.
 Lepierre, C., and M. Lachaud, nickel and cobalt, 1282.
 Lepierre, C. See also Lachaud.
 Lépine, R., formation of sugar from peptones in blood, 1502.
 Lépine, R., and Barral, glycolytic power of blood and artificial production of diabetes, 364.
 — — hematic glycolysis: estimation of glycogen in the blood, 89.
 — — variations of the glycolytic and saccharific power of blood in diseases, 517.
 Leprince, cascarin, 1483.
 Leroy, J. A., action of phosphoric chloride on methyl naphthyl ketones, 495.
 Lesage, P., quantity of starch in the tubercles of the radish, 92.
 — sodium chloride in plants, 651.
 Lespiau, R., dibromopropylene, 420.
 — picene, 623.
 Leteur, stannibromides, 121.
 Lewes, V. B., analysis of the products of incomplete combustion, 407.
 — the luminosity of coal-gas flames, TRANS., 322.
 — the origin of acetylene in flames, PROC., 1892, 47.
 Lewkowitsch, J., estimation of cholesterol, 544.
 Lezé and Allard, estimation of fat in the products from milk, 391.
 Lieben, A., dry distillation of silver salts of organic acids, 811.
 — errors arising in chemical operations owing to the employment of gas flames, 1374.
 — preparation of crotonaldehyde, 1424.
 Liebermann, C., heat evolved in the isomeric change of the oxime of opionic anhydride, 459.
 Liebermann, C., stereoisomeric and polymeric cinnamic acids, 469.
 Liebermann, C., and F. Damerow, silver phenylacetyllyde, 831.
 Liebermann, C., and F. Dickhuth, acetylhydridindigotin and acetylindigo, 480.
 Liebermann, C., and A. Hartmann, condensation of cinnamic acid with hydrocarbons, 1228.
 — — condensation of cinnamic and allocinnamic acids, 848.
 Liebermann, C., and L. Limpach, ψ -tropine and some ψ -tropeines, 891.
 Liebermann, C., and H. Sachse, di-iodocinnamic acid, 470.
 Liebermann, C., and W. Scholz, formation of allocinnamic acid from phenylpropionic acid, 848.
 Liebig, cause of the rapid curdling of milk during thunderstorms, 1370.
 Liechti, P. R., rind of *Garzia mangostana*, 205.
 Limpach, L., synthesis of the sixth dihydroxytoluene, 447.
 Limpach, L. See also Conrad, Hodgkinson, Liebermann.
 Limpricht, H., preparation of nitroso-sulphonic acids, 475.
 Limpricht, H., and F. Meyer, azobenzene-, hydrazobenzene-, and benzidine-disulphonamides, 973.
 Linder, S. E., and H. Picton, some metallic hydrosulphides, TRANS., 114.
 Linder, S. E. See also Picton.
 Lindgren, W., analcime as a rock-forming mineral, 1413.
 Lindgren, W. See also Melville.
 Lindsey, J. B., and B. Tollens, dextrose from sulphite-cellulose and from fir wood, 801.
 — — so-called artificial pectic acid from fir wood, 827.
 — — wood-sulphite liquor and lignin, 802.
 Linebarger, C. E., formation of layers in solutions of salts in mixtures of water and organic liquids, 1146.
 — — hydroxyanthranol, 346.
 — — nature of colloid solutions, 766.
 — — reaction between benzene and benzal chloride in presence of aluminium chloride, 719.
 — — reaction between triphenylmethane and chloroform in presence of aluminium chloride, 722.
 Ling, A. R., studies on isomeric change. No. IV. Halogen derivatives of quinone. Part I, TRANS., 558.

Ling, A. R., and J. L. Baker, halogen derivatives of quinone. Part II. *TRANS.*, 589.

Link, C., berberine and hydroberberine, 1498.

Linossier, G., resolution of inactive lactic acid by *Penicillium glaucum*, 297.

Lintner, C. J., isomaltose, 1293.

Lipp, A., 1-methyl- Δ^2 -tetrahydro-2-hydroxyethylpyridine, 1244.

— synthesis of tetrahydropyridine derivatives, and their conversion into piperidine derivatives, 1243.

Lippmann, E., preparation of homologues of quinine, 222.

Lippmann, E., and F. Fleissner, action of hydriodic acid on cinchonine, 639.

— action of hydriodic acid on quinine: isoquinine, 81.

— the hydriodo-compounds of the cinchona alkaloids, 1363.

Lippmann, E. O. v., organic acids in beet juice, 231.

Lippmann, F., constitution of allyl cyanide, 27.

Lobry de Bruyn, C. A., apparatus for determining vapour pressures, 679.

— displacement of the nitro-group by chlorine or bromine, 305.

— estimation of sulphur in red copper, 753.

— explosion of ammonium nitrate, 683.

— hydroxylamine, 402, 1391.

Lobry de Bruyn, C. A., and F. H. Van Leent, estimation of copper, 753.

Loczka, J., Hungarian minerals, 1054.

Loeb, W. See Pulvermacher.

Lösekann, G., formaldehyde, 423.

Löw, M., ethylation of salicylaldehyde, 57.

Loew, O., action of azoimide on living organisms, 90.

— influence of phosphoric acid on the formation of chlorophyll, 1261, 1372.

Loewenherz, R., asymmetrical amido-isophthalic acid, 1464.

— dimetaditolyl, 852.

Lorentz, G. See Wallach.

Lorenzen, J. See Bamberger.

Losanitsch, S. M., aromatic dithiocarbamates, 55.

— meteorite of Jelica, 795.

Lossen, W., amidines, 51.

— constitution of the hydroxamic acids, 461.

— decomposition of glutaric acid at a high temperature, 297.

Lossen, W., so-called physically isomeric hydroxylamine derivatives, 711.

Lossen, W., and C. Rahnenführer, composition and crystalline form of barium isophthalate, 179.

Lossen, W., and G. Voss, metallic formates, 140.

Louise, E., and Perrier, metallic compounds of aromatic ketones, 1205.

Lucchesi, A. See Antony.

Luckow, C., volumetric estimations and separations by means of potassium ferrocyanide and ferricyanide, 1129, 1527.

Ludwig, E., action of sulphuric acid on methylethylacraldehyde, 951.

Luedecke, O., heintzite, 791.

Luedeking, C., synthesis of crocoïte and phoenicocroïte, 792.

Luedeking, C., and H. A. Wheeler, barytes from Missouri, 792.

Lukjanow, S. M., bile during inanition, 225.

Lumsden, J. S. See Frankland.

Lunge, G., action of certain liquids on aluminium, 687.

— analysis of sodium nitrite, 1029.

— gasvolumetric analysis, 538.

— improvement in gasvolumetric apparatus, 524.

— levelling instrument for gasometric work, 400.

— the gas-volumeter and gravivolumeter, *PROC.*, 1891, 168, 170.

— volumetric estimation of alumina, 535.

Lunge, G., and L. Marchlewski, new apparatus for the estimation of combined or free carbonic acid, 531.

— revised hydrochloric acid tables, 11.

Lunge, G., and H. Rey, revised nitric acid tables, 13.

Lungo. See Del Lungo.

Lusk, G. See Voit.

Luzi, W., allotropism of amorphous carbon, 945.

— artificial corrosion of the diamond, 1394.

— carbon, 565.

— graphite, 406.

Luzzato, G., natrolite from Monte Baldo, 690.

Lyons, R. E. See Van Nüys.

M.

McBryde, J. B., chemical study of the cotton plant. Feeding value of the cotton plant, 1510.

McCauley, A. W. See Smith.

McCay, L. W., separation of thio-arsenic and thioxo-arsenic acids, 1519.

— test for chromium, 1133.

McGowan, G., the iodometric estimation of chloric acid in chlorates, *TRANS.*, 87.

MacGregor, J. See Frankland.

McKenna, A. G. See Drown.

Mackenzie, J. E., and W. H. Perkin, jun., synthesis of hexahydroterephthalic acid, *TRANS.*, 172.

Mackenzie, J. E. See also Perkin.

MacKerrow, W., bromine carriers, 155.

Macnair, D. S., detection of chlorine and bromine in the presence of iodine, 1514.

MacWilliam, J. A., salicylsulphonic acid as a test for albumoses and peptones, 552.

Magnanini, G., absorbent power of colour'd salts and electrolytic dissociation, 757.

— catalytic influence of acids on the velocity of the reaction between hydrogen peroxide and hydriodic acid, 110.

— freezing points of aqueous solutions of boric acid and mannitol, 263.

— influence of boric acid on the electrical conductivity of aqueous solutions of organic acids, 256.

— influence of boric acid on the electrical conductivity of dilute alcoholic solutions of organic acids, 1265.

Magnanini, G., and M. Scheidt, action of phenylhydrazine and hydroxylamine on dehydrodiacetyllevulinic acid, 1429.

Magnanini, O. See also Leone.

Mahla, F. See Hofmann.

Mahler, P., calorimetry, 260.

— distillation of coal, 395.

Mai, C. See Koenigs.

Mai, J., action of diazo-compounds on oximes, 163, 1079.

— action of hydroxylamine on diazo-benzene and paradiazotoluene chlorides, 710.

— compounds of sulphur and phosphorus, 14.

Mai, J., and K. Aschoff, preparation of collidine, 725.

Malbot, H., and A. Malbot, action of allyl iodide on trimethylamine: trimethylallyl ammonium iodide, 1295.

— — — action of capryl iodide on trimethylamine, 806.

— — — action of isoamyl iodide on trimethylamine, 805.

Malbot, H., and A. Malbot, action of isobutyl iodide on trimethylamine, 805.

— — — action of isopropyl iodide on trimethylamine: trimethylisopropyl ammonium iodide, 1295.

— — — action of propyl iodide on trimethylamine: trimethylpropyl ammonium iodide, 1294.

— — — formation of tetralkylammonium iodides, 133.

Malfatti, H., nucleins, 224, 1501.

Mallard, native iron from Cañon Diablo, 947.

Mallard and E. Cumenge, boléite, 123.

Malot, C., estimation of phosphorus in iron and steel, 528.

Mangold, C., analysis of beeswax, 1034.

Mangold, K., stereochemistry of trihydroxystearic acids, prepared from ricinoleic acid and from ricinelaudic acid, 1304.

Manning, T. D. See Tubby.

Mansbridge, W., new method for the estimation of unsaponifiable matter in fats, 1533.

Manseau, M. H., detection and estimation of santonine, 666.

Maquenne, action of sulphuric acid on hydrocarbons with a closed chain, 967.

— barium carbide, 685.

— direct combination of nitrogen with alkaline earth metals, 566.

— natural synthesis of the vegetable hydrocarbons, 1234.

— nitrides of barium and strontium, 776.

Maquenne, L., hydrocarbon derived from perseitol, 1065.

Marcano, V., and A. Muntz, ammonia in the atmosphere and in rain water of the tropics, 381.

Marchesini, G., carbaminethioacetophenone, 1317.

Marchlewski, L., aqueous solutions of tartaric and racemic acids, 964.

— colour of nitric acid, 113.

Marchlewski, L. See also Lunge.

Marchwald, W., imidazoles and the constitution of glyoxaline, 1326.

Marchwald, W., M. Neumark, and R. Stelzner, hydantoins and bases derived from them, 149.

Marcus, E., nitrogenous derivatives of some aromatic dihydroxyaldehydes, 317.

Marek, W., expansion of water, 106.

Mares, F., formation of uric acid in mammals, 1257.

Marie, T., monobromocerotic acid, 1302.
 Marino-Zucco, F., new alkaloid from chrysanthemum flowers, 84.
 Markovnikoff, V., hydrobenzoic acids, 714.
 — naphthalenes and polymethylenes, 1310.
 — naphthalenes and their derivatives in the general system of organic compounds, 1182, 1311.
 — tetramethylenedicarboxylic acids, 1306.
 Markovsky, G., E.M.F. of gas batteries, 393.
 Marsenille. See Van Marsenille.
 Martin. See De St. Martin.
 Martin, S., anthrax in man, 1117.
 — chemical pathology of diphtheria, anthrax, and infective endocarditis, 744.
 Martina, G., metallic derivatives of phenylhydrazine, 1454.
 Mason, W. P., carbazole method for the estimation of nitrates in water analysis, 243.
 Massan, C. See Claus.
 Massol, G., citric acid, 763.
 — dibromomalonic acid, 1140.
 — glutaric acid, 1141.
 — heat of formation of potassium tricarballylates, 762.
 — tartronic acid and alkali tartronates, 675.
 — thermal constants of active malic acid and potassium and sodium malates, 260.
 — thermochemistry of bibasic organic acids, 395.
 — thermochemistry of bibasic organic acids: methylmalonic and methylsuccinic acids, 1140.
 Matignon, C., characteristic difference between alcohol radicles united directly with carbon or with nitrogen, 106.
 — substitution of radicles in union with carbon and nitrogen respectively: explosives, 1141.
 — thermochemistry of guanidine and nitroguanidine, 1142.
 Matignon. See also Berthelot.
 Matthews, F. E., action of sulphuric acid on the α - and β -modifications of monochlorobenzene hexachloride, TRANS., 103.
 Mattirola, E., breithauptite from Sarabus, Sardinia, 790.
 Maxwell, W., choline and betaine in cotton seed foods, 380.
 Mayer, E. See Fittig.
 Mayer, R., pyridinecarboxylic acids obtained from berberine, 1357.
 Mazzara, G., bromamidocarvacrol, 595.
 Mazzara, G., and A. Leonardi, carbazole, 616.
 Mazzara, G., and G. Plancher, bromo-derivatives of carvacrol, 156.
 — — derivatives of carvacrol, 309.
 Meara, F. S. See Chittenden.
 Medicus, L., estimation of lead, 1522.
 Medicus, L., and C Immerheiser, fermentability of dextrins, 922.
 Meldola, R., and C. H. Desch, some homonucleic tri-derivatives of naphthalene, TRANS., 765.
 Meldola, R., and E. M. Hawkins, a method for determining the number of NH_2 groups in certain organic bases, PROC., 1892, 133.
 Meldola, R., and F. W. Streatfeild, ethylene derivatives of diazoamido-compounds, PROC., 1892, 119.
 Melikoff, P., and P. Petrenko-Kritschenko, $\alpha\beta$ -dimethylglyceric acid from angelic acid, 297.
 — — derivatives of isocrotonic acid, 295.
 Melnikoff, M. P., zoisite from Orenburg, 690.
 Melville, W. H., and W. Lindgren, minerals from the Pacific coast, 1407.
 Melville, W. H. See also Hillebrand.
 Menozzi, A., and G. Appiani, derivatives of glutamic acid, 298.
 Menschutkin, N., and M. Vasileff, affinity coefficients of alkyl iodides and bromides, 1289.
 Merck, E., subsidiary alkaloids of belladonna, 1255.
 — terpin hydrate from eucalyptus oil, 1235.
 Merling, G., tropine, 358.
 Merrill, G. P., and R. L. Packard, azure-blue pyroxene rock from New Mexico, 1057.
 Merz, V., magnesium nitride, 409.
 Meslans, M., acetic fluoride, 1068, 1069.
 — fluorhydrins from glycerol, 799.
 Mesnard, E., essence of sandal wood, 1379.
 Messinger, J. See Kehrmann.
 Meunier, J., reduction of benzene hexachloride, 594.
 Meyenburg, F. v. See Auwers.
 Meyer, E. v. polymerisation of the nitriles, 576.
 Meyer, F. See Limprecht.
 Meyer, R., and H. Hoffmeyer, fluorescein, 970.
 — — the fluorescein group, 1228.

Meyer, T., estimation of iron and alumina in phosphates, 536.

Meyer, V., aliphatic nitro-compounds, 575.

— commercial benzoic chloride, 604.

— lecture experiments on oxyhydrogen gas, 562.

Meyer, V., and F. Müller, substitution in the aliphatic series, 577, 1414.

Meyer, V., and W. Wachter, iodosobenzoic acid, 1460.

Meyer, V., and H. W. Ege, new method of formation of desaurins, 340.

Meyer, V. See also Askenasy, Auwers, Catheart, Ditttrich, Freyer, Heidenreich, Hoffmann, and Keppler.

Me neverhoffer, W., interval of change, 1145.

Michael, A., action of zinc on ethyl dibromosuccinate, 40.

— constitution of ethyl sodacetacetate, 1178, 1428.

Michael, A., and O. Schulthess, additive products of ethyl sodacetacetate and sodiomalonate with etheral salts of unsaturated acids, 590.

Michaël, H. A., and J. Jeanprêtre, formation of aromatic nitriles, 1094.

— mandelic acid and its nitrile, 1088.

Michaelis, A., inorganic derivatives of phenylhydrazine, 1324.

Michaelis, A., and R. Burmeister, ethyl malonate phenylhydrazide and 1-phenyl-3 : 5-pyrazolidone, 1004.

Michaelis, A., and R. Hermens, β -succinylphenylhydrazide: 1-phenyl-3 : 6-orthopiperazine, 1494.

Michaelis, A., and O. Lampe, synthesis of phenylpyrazolidine, 355.

Michaelis, A., and F. Oster, action of the chlorides of phosphorus, arsenic, boron, and silicon on aromatic hydrazines, 1324.

Michaelis, A., and J. Rabinerson, action of arsenious chloride on tertiary aromatic amines, 1321.

Michaelis, A., and F. Rothe, aromatic phosphorus compounds, 1084.

Michaelis, A., and J. Ruhl, thionyl chloride and aromatic hydrazines, 1324.

Michaelis, L., nicotenylamidoxime, 206.

Michaud, G., sapotin, a glucoside, 724.

Michel, O. See Grandmougin.

Micko, C., separation of malic acid from succinic and tartaric acids, 1531.

Miersch, W., formation of hydrindone derivatives from halogen cinnamic acids, 1222.

Miller, A. K., interaction of bromine and toluene: preparation and properties of ortho- and para-bromo-toluene and of the dibromotoluenes derivable therefrom: ortho- and para-bromotoluenesulphonic acids, TRANS., 1023.

Miller, A. K. See also Thorpe.

Miller, W. v., synthesis of quinaldine, 1245.

Miller, W. v., J. Plöchl, and others, Schiff's bases, 1189.

Miller, W. v., and G. Rohde, phenylhydrindone, 1220.

— a-phenylhydrocinnamic acid, 1211.

Minguin, J., action of sodium benzoxide on ethyl camphocarboxylate, 74.

— methyl camphocarboxylates, methylcamphor, and azo-derivatives of cyanocamphor, 1343.

Mintz, N. See Bischoff.

Minunni, G., isomerism of oximes, 291.

Miolati, A., melting points of mixtures, 1139.

— new method of preparing fatty hydroxamic acids, 698.

Miolati, A. See also Hantzsch.

Mischel, E. See Rügheimer.

Mittelmeier, H. See Scheibler.

Mixter, W. G., decomposition of ethereal nitrates by alkaline solutions, 692.

Modeen, H., action of hydroxylamine on ethyl cyanacetate, 139.

Möhlau, R., oxazine dyes, 887.

Möhlenhoff, C., methylphenylpyrazolone and its derivatives, 1245.

Mörner, C. T., estimation of gallie acid in urine, 904.

— physiological action of gallic and tannic acids, 904.

Moissan, H., action of fluorine on phosphorus trifluoride, 12.

— amorphous boron, 681, 1153.

— boron iodide, 1154.

— boron pentasulphide, 1394.

— boron phosphides, 272.

— boron phosphoiodides, 114.

— boron trisulphide, 1392.

— carbon diiodide, 1291.

— place of fluorine in the classification of the elements, 11.

— preparation of amorphous boron, 682.

Moissan, H., and H. Gautier, specific gravity of gases, 1257.

Moitessier, J., estimation of creatinine in urine, 1135.

— influence of muscular work on the elimination of creatinine, 364.

Moitessier, J. See also Bertin Sans.
 Moldenhauer, F., estimation of zinc by the ferrocyanide process, 915.
 Montemartini, C., action of nitric acid on zinc, 1279.
 —— serpentine rock from Borzanasca, 1058.
 —— the reaction between nitric acid and metals, 1278, 1402.
 Monte Verde, N., chlorophyll, 1355.
 —— influence of carbohydrates on the accumulation of asparagine in plants, 91.
 Moody, G. T., metaxylenesulphonic acids [II], PROC., 1891, 189.
 —— sulphonic acids derived from anisoils [I], PROC., 1892, 90.
 Moore, B., velocity of reaction in mixtures of isohydric and non-isohydric solutions of acids, 936.
 Moore, T., estimation of cobalt in maganese ores, 917.
 Morel, J., action of boric acid on germination, 651.
 Moritz, E. R., and T. A. Glendinning, diastatic action, TRANS., 689.
 Morrell, R. S. See Ruhemann.
 Morse, H. N., and H. C. Jones, re-determination of the atomic weight of cadmium, 1397.
 Morse, H. N., and J. White, transportation of solids in a vacuum by the vapours of metals, 1386.
 Moscatelli, R., catechol in the urine of hydrophobic rabbits, 1115.
 Moscheles and R. Stelzner, analysis of coffee substitutes, 1534.
 Mueller, C., oil of lime seed, 92.
 Müller, F. See Brühl, Meyer.
 Münster, C. A., garnierite from Norway, 1409.
 Müntz, A., ammonia in rain water and in the atmosphere, 909.
 Müntz, A., and A. C. Girard, value of animal *débris* as nitrogenous dressing, 96.
 Müntz, A. See also Marcano.
 Muhe, E. G. See Willgerodt.
 Muhr, F. See Smith.
 Mulder, E., tartryltartaric acid, 965.
 Muller, J. A., occurrence of a tetra-carbon aldehyde in a brandy, 810.
 —— preparation of crotonaldehyde, 809.
 Muller, P. T., action of ethyl salts of unsaturated acids on ethyl sodiocyanacetate, 1181.
 Muller, P. T., and J. Hauser, velocity of decomposition of diazo-compounds by water, 768.
 Murmann, E., derivatives of α -phenyl-quinoline, 1008.
 Murray, T. S., electrolysis of potassium acetate solutions, TRANS., 10.
 Mussi, U., the latex of *Ficus carica*, 653.
 Muter, J., detection of coco-nut fat in butter, 391.
 Myers, W. S. See Collie.
 Mylius, F., and F. Foerster, examination of glass for chemical purposes, 411.
 —— —— preparation and assaying of pure platinum, 789.

N.

Nagai, W. N., dehydrodiacetylpaenol, 845.
 —— paenol, 58.
 Namias, R., estimation of tungsten in rich alloys and in steel, 539.
 —— extended employment of arsenious acid in volumetric analysis, 1374.
 —— volumetric estimation of iron, 240.
 —— volumetric estimation of mercury, 663.
 Nasini, R., application of Ketteler's formula to optical chemistry, 253.
 Nasini, R., and T. Costa, sulphinic derivatives and their analogies with compounds of aromatic amines, 34.
 Nasini, R., and V. Villavecchia, specific rotatory power of cane sugar in dilute solutions, 801.
 Nasse, O., physiological oxidation, 1018.
 Natanson, L., law of thermodynamical coincidence and its application to the theory of solution, 557.
 Naumann, A., reconversion of heat into chemical energy by production of water- and carbonic anhydride-generator gas, 673.
 Nef, J. U., bivalent carbon, 1438.
 —— ethyl acetoacetate, 140.
 Negbaur, W., potential differences at the surfaces of contact of very dilute solutions, 671.
 —— practical form of the Latimer-Clark standard cell, 669.
 —— standard cell for small differences of potential, 670.
 Nehring, P. See Beckurts.
 Neitzel, E., derivatives of diacetovanillone, 61.
 Nernst, W., potential difference of dilute solutions, 671.
 —— solubility of mixed crystals, 560.
 Nernst, W., and R. Pauli, electro-motive activity of the ions, 671.
 Nernst, W. See also Tammann.

Nessler, B. See Kostanecki.

Neuberg, O. See Gattermann.

Neudörfer, J. See Benedikt.

Neumann, A. See Gabriel.

Neumann, G., behaviour of copper and of the noble metals towards some gases and vapours, 942.

— a-orthostannic acid, 412.

Neumann, G., and F. Streintz, behaviour of hydrogen towards lead and other metals, 567.

Neumark, M. See Marckwald.

Neville, F. H. See Heycock.

Newbury, S. B., copper sulphites, 1051.

Newbury, S. B. See also Ornsdorff.

Newth, G. S., lecture experiment: dissociation of phosphonium bromide, 401.

— preparation of hydrobromic acid, 270.

Nickel, E., graphical chemistry of glass, 1158.

Nicol, W. W. J., mutual solubility of salts in water, 8.

Nicolas, C. See Domergue.

Nicolle. See Cazeneuve.

Niederhofheim, R. See Jannasch.

Niementowski, S. v., anhydro-compounds, 837.

— α -methylphthalic acid, 607.

Nietzki, R., synthesis of Weselsky's resorcinol-blue, 163.

Nietzki, R., and H. Kaufmann, derivatives of trinitroquinolin, 314.

Nietzki, R., and L. Kurtenacker, penta-derivatives of benzene, 596.

Nietzki, R., and B. Schündelen, action of dinitrochlorobenzene on polyhydric phenols, 310.

Nihoul, E. See De Koninek.

Nilson, L. F., composition of the Leguminosæ, 521.

— the lactocrite compared with other methods for estimating fat in milk, 550.

Nissen, C., $\alpha\beta$ -dichlorocinnamic acid (phenylpropionic acid dichloride), 1464.

Nissen, D. See Behrend.

Noelting, E., dyes of the triphenylmethane group, 187.

— nitration of butyltoluenesulphonic acid and butylxylenesulphonic acid, 718.

Noelting, E., and E. Trautmann, derivatives of the methylquinolines and of metadimethylquinoline, 726.

Nordenskiöld, G., pholidolite, a new mineral, 1408.

Nordenskiöld, O., the Ljungby meteorite, 1060.

Nordenström, G., allanite, from Gyttorp, Sweden, 1409.

Norris, G. L., estimation of manganese in slags and ores, 385.

Noyes, A. A., determination of the electrolytic dissociation of salts by means of solubility experiments, 1143.

Noyes, W. A., dibenzylcarbinamine, 1093.

— lecture experiment: burning sulphur in oxygen, 679.

Nüys. See Van Nüys.

Nuricsán, J., new method of preparing carbon oxysulphide, 15.

Nussberger, G., stereoisomeric dioximes from ethyl acetoacetate and benzoylacetate, 1175.

O.

Obach, E., specific inductive capacity and latent heat of vaporisation, 258.

Obermayer, F. See Paschkis.

Obermüller, K., estimation of cholesterol, 248.

— saponification with sodium ethoxide, 139.

Obermüller, P. See Fittig.

Obregia, A., action of potassium cyanide on halogen derivatives of ketones, 324.

Oddo, G., camphor group, 724.

— relation between the chemical constitution and physiological action of aromatic compounds, 366.

— stereochemistry of the camphor group, 724.

Off, H. See Richmond.

Oglialoro, A., and O. Forte, action of hydriodic acid and amorphous phosphorus on picrotin, 349.

O'Neill, C., products from indigo-blue, 991.

Ordonneau, C., cause of acidity of grapes: tartromalic acid, 589.

Ormandy, W. R. See Ewan.

Orndorff, W. R., and M. Cauffman, decomposition of some diazo-compounds of nitronaphthalenes with alcohol, 622.

Orndorff, W. R., and S. B. Newbury, preparation of aldol and croton-aldehyde, 1423.

Osborne, T. B., proteids of the oat kernel, 1120.

Osborne, T. B. See also Chittenden.

Osmond, F., calorimetric researches on the condition of silicon and of aluminium in cast iron, 19.

Oster, F. See Michaelis.

Ostwald, W., chemical action at a distance, 268.

Ostwald, W., colour of the ions, 1137.
 — polybasic acids, 1145.
 — studies on energetics, 1149.
 — the dissociation of liquid nitrogen peroxide, *TRANS.*, 242.
 — the magnetic rotation of dissolved salts, *PROC.*, 1892, 12.
 O'Sullivan, J., the hydrolytic functions of yeast. Part I, *TRANS.*, 593; Part II, *TRANS.*, 926.
 — the specific rotatory and cupric reducing power of invert sugar and of dextrose obtained from cane sugar by means of invertase, *TRANS.*, 408.
 Otto, J. G. See Voit.
 Otto, R., and D. Drewes, magnesium lead bromide, 566.
 Otto, R., and E. Heydecke, aromatic thiosulphonates, 990.
 Otto, R., and A. Holst, ethyl and methyl morphine carbonates, 638.
 Otto, R., and A. Rössing, aromatic thiosulphonic acids, 478.
 — — — preparation and properties of Bunte's salt (ethyl thiosulphate), 799.
 — — — tautomerism of sulphinic acids, 623.
 Otto, T., synthesis of acetovannillone from guaiacol and acetic acid, 61.
 Ouvrard, L., lithium nitride, 565.

P.

Paal, C., indazole derivatives, 67.
 — peptone salts from glutin, 895.
 — unsaturated aliphatic amines, 578.
 Paal, C., and A. Bodewig, action of orthonitrobenzyl chloride on phenylhydrazine, 1455.
 Paal, C., and A. Heupel, unsaturated fatty amines, 30.
 Paal, C., and F. Krecke, methylphenyldihydroquinazoline and its derivatives, 80.
 Fabst, T., fruit of *Capsicum annum*, 1263.
 Packard, R. L. See Merrill.
 Pagliani, S., new method of measuring electromotive force and resistance, 105.
 Pagnoul, A., experiments on the growth of wheat in a sterile soil, 909.
 Palladin, W., amount of proteids in green and in etiolated leaves: acquisition of green colour and growth of etiolated leaves, 520.
 Palmer, A. W., reduction of symmetrical triamidonitrobenzene, 1198.
 Papasogli, G., cotton and its products, 584.

Papendieck, A. See Buchner.
 Parker, G. See Fittig.
 Parlato, E. See Anschütz.
 Parmentier, F., abnormal dissolution: saturated solutions, 1047.
 — aluminium in mineral waters, 1287.
 — chalybeate mineral waters, 1289.
 — flameless incandescence produced by coal-gas, 768.
 — lead chlorosulphide and bromosulphide, 685.
 — preservation of mineral waters, 1162.
 Partheil, A. See Schmidt.
 Paschen, E., derivatives of orthohomosalicylaldehyde and of orthohomoparahydroxybenzaldehyde, 320.
 Paschkis, H., and F. Obermayer, pharmacological investigations of ketones and acetoximes, 1506.
 Paschkowetzky, S. See Schall.
 Paschkowezky, S., aromatic secondary chlorocarbamides and tetra-substituted carbamides, 164.
 — thiophenylcarbanides, 324.
 Passmore, F. W. See Dunstan.
 Patein, G., detection of normal carbonate in hydrogen alkali carbonates, 1130.
 — transformation of albumin, 362.
 Paternò, E., hot mineral spring at Sclafani, 25.
 Pattinson, J., and H. S. Pattinson, estimation of manganese in its ores and alloys, 536.
 Paul, T., apparatus for hot filtration, 1150.
 Paul, T. See also Beckmann.
 Pauli, R. See Nernst.
 Pawlewski, B., ethyl chlorocarbonate, 963.
 Peacock, J. C., volatile oil from *Aristolochia reticulata*, 70.
 Péchard, E., estimation of molybdenum, 917.
 — heat of formation of permolybdc acid, 1383.
 — permolybdates, 1160.
 — permolybdc acid, 1283.
 Péchard, E. See also Baubigny.
 Pechmann, H. v., constitution of ethyl acetoacetate and of the so-called ethyl formylacetate, 816.
 — ethyl acetonedicarboxylate, 431.
 — introduction of acid radicles into ethyl acetoacetate, 696.
 — preparation of dehydracetic acid, 296.
 — preparation of fatty 1:2-diketones, 425.

Pechmann, H. v., and O. Baltzer, α -pyridone, 208.

Pechmann, H. v., and K. Jenisch, action of diazobenzene on acetone-dicarboxylic acid, 161.

— action of phenyllhydrazine on acetonedicarboxylic acid, 162.

— alkylacetonedicarboxylic acids, 148.

— reduction of acetonedicarboxylic acid, 147.

Pekelharing, C. A., coagulation of the blood, 87.

— fibrin ferment, 1112.

Pellat, H., electrical behaviour of metals in salt solutions, 393.

Pellizzari, G., nitroguanidine, 579.

— phenylguanazole, 356.

Pellizzari, G., and D. Tivoli, action of cyanogen chloride on phenylhydrazine, 1323.

Penfield, S. L. See Iddings, Wells.

Penrose, R. A. F., limonite in Texas, 1405.

Peratoner, A., sparteine, 1362.

Perdrix, L., a bacterium which ferments starch and produces amyl alcohol, 90.

Perkin, A. G., action of nitric acid on oxanilide and similarly constituted substances, *TRANS.*, 458.

Perkin, A. G., and J. E. Mackenzie, action of nitric acid on anthracene. Part II, *TRANS.*, 865.

Perkin, W. H., sen., on the refractive power of certain organic compounds at different temperatures, *TRANS.*, 287.

— the magnetic rotation of compounds supposed to contain acetyl, or to be of ketonic origin, *TRANS.*, 800.

Perkin, W. H., jun., note on a new acid from camphoric acid, *PROC.*, 1892, 55, 68.

Perkin, W. H., jun., and W. Sinclair, synthetical formation of closed carbon-chains. Part II (*cont.*) : derivatives of tetramethylene, *TRANS.*, 37.

Perkin, W. H., jun., and J. Stenhouse, the synthetical formation of closed carbon-chains. Part I (*cont.*) : action of propylene bromide on the sodium compounds of ethyl acetacetate and benzoylacetate, *TRANS.*, 68.

Perkin, W. H., jun. See also Brown, Mackenzie.

Perrier, G., metaphenyltoluene, 851.

Perrier. See Louise.

Perry, G. H. See Thorpe.

Pesci, L., mercurioanilido-compounds, 1448.

Pesci, L., so-called mercurous ammonium compounds, 685.

Petersen, E., allotropic state of some elements, 405.

Petersson, W., gadolinite, 1410.

Petit, P., distribution and condition of iron in barley, 1509.

— product of the oxidation of starch, 1171.

— production of dextrin, 577.

Petrenko-Kritschenko, P., derivatives of deoxybenzoïn, 1227.

Petrenko-Kritschenko, P. See also Melikoff.

Pfannenstiel, E., xylenedisulphonic acids, 1340.

Pfeiffer, E., action of water on glass, 120.

Pfeiffer, H., partially miscible solutions, 1046.

Pflug, L. See Curtius.

Phookan, R. D., and F. Krafft, derivatives of sebacic acid, 1180.

Piccard, J., cantharene, 1480.

Piccini, A., new series of fluoroxy-compounds of molybdenum, 784.

Piccini, A., and G. Giorgis, fluoroxyvanadates, fluoroxyhypovanadates, and fluorovanadites, 785.

Pichard, P., comparative nitrification of humus and undecomposed organic matter, 906.

— influence of the proportion of clay and organic nitrogen in fallow soils on the absorption of atmospheric nitrogen and the retention of nitrogen and nitrification, 656.

Pickering, S. U., chemical action at a distance, 269.

— contraction on mixing sulphuric acid and water, 271.

— cryoscopic behaviour of weak solutions, 678, 1045.

— cryoscopy of cane sugar solutions, 109.

— densities of sulphuric acid solutions, 272.

— heat of dissolution of gases in liquids, 1042.

— hypothetical manganese tetrachloride, 687.

— strong solutions and the dissociation hypothesis, 108.

— the densities of sulphuric acid solutions, 271.

— the recognition of changes of curvature by means of a flexible lath, 767.

— theory of residual chemical affinity as an explanation for the physical nature of solution, 559.

Pictet, A., and H. J. Ankersmit, phenanthridine, 196.

Pictet, A., and S. Erlich, methyl-phenanthridine and chrysidines, 197.

Pictet, A., and G. Krafft, chlor-iodides of organic bases, 1356.

Pictet, A., and S. Popovici, pyro-genic synthesis of isoquinoline, 730.

Pictet, R., physical and chemical phe-nomena at very low temperatures, 1138.

Picton, H., the physical constitution of some sulphide solutions, *TRANS.*, 137.

Picton, H., and S. E. Linder, solu-tion and pseudo-solution, *TRANS.*, 148.

Picton, H. See also Linder.

Piesczek, E., detection of tin, anti-mony, and arsenic, 918.

Pigeon, L., heat of formation of platinic bromide and its principal compounds, 3.

Piloty, O. See Fischer.

Pinette, J., estimation of fat in milk by Schmid's method, 1134.

— soap analysis, 550.

Pinkus, G., action of trimethylene chlorobromide on some aromatic amines and amides, 1491.

Pinner, A., furfuran compounds, 1006.

— mixed acid amides, 982.

— nicotine, 1497.

— so-called dibenzimidine, 1110.

Pinner, A., and R. Wolffenstein, nicotine, 1010.

Pinnow, J., action of benzenesulphonic chloride on amidoximes, 460.

Pionchon, J., specific heat and latent heat of fusion of aluminium, 1281.

Pirsson, L. V., gmelinite from Nova Scotia, 21.

Pirsson, L. V. See also Weed.

Pisani, F., cuprodescloizite from Mexico, 1055.

Plancher, G. See Mazzara.

Planck, M., recent developments of the mechanical theory of heat, 395.

— theories of osmotic pressure and of electrolytic dissociation, 1143.

— theory of diffusion and electro-lysis, 935.

Plimpton, R. T., metallic derivatives of acetylene, *PROC.*, 1892, 109.

Plöchl, J. See Miller.

Plugge, P. C., reaction for cerous oxide, 239.

Pohl, J., aristolochiu, 874.

Poliakoff, R. See Hell.

Polikier, H., synthesis of indole from tartaric acid and aniline, 66.

— tartranilide, 54.

Pollak, A. See Goldschmidt.

Polonowsky, M. See Herzberg.

Pomeranz, C., bergaptene, the stear-optene of bergamot oil, 71.

Pope, W. J., the crystalline forms of the sodium salts of the substituted anilic acids, *TRANS.*, 581.

Popoff, mechanism of the production of urea in the animal organism, 89.

Popovici, S. See Pictet.

Potilitzin, A., lithium bromate, 1275.

— rate of decomposition of calcium chloride by heat, 1275.

— the hydrates of cobalt chloride and their alterations in colour, 571.

Poulenc, C., nickel and cobalt fluorides, 1159.

— nickel potassium and cobalt potas-sium fluorides, 781.

Poulson, E., poisonous constituents of the ethereal extract of ferns, 380.

Pratesi, L., action of nitric acid on phenylglycollic acid, 607.

— orthoparadinitrophenylglycollic acid, 1333.

— supersaturated aqueous solution of carbonic anhydride, 1274.

Prausnitz, G., derivatives of 2-methyl-5-ethylpyridylalkine, 1358.

Prelinger, O., picroc acid as a test for guanidine, 950.

Prendel, R., tourmaline from Siberia, 573.

Příbram, R. See Handl.

Přiwozník, E., formation of sulph-uric acid by burning illuminating gas, 1151.

— formation of sulphuric acid and ammonium sulphate by burning coal gas, 1389.

Probst, O., derivatives of thiocarb-amide and carbamide, 966.

Procter, H. R., analysis of gambier, 928.

Prud'homme, cuprammonium oxide, 18.

Prud'homme and C. Rabaut, con-version of aromatic amines into the chlorine derivatives of the hydro-carbons, 705.

Pulling, W., platinum tetrachloride, *TRANS.*, 422.

Pulvermacher, G., condensations with formaldehyde, 1450.

— mandelamide, 1203.

— reaction of trithioformaldehyde and formaldehyde, 579.

Pulvermacher, G., and W. Loeb, carbazole, 1466.

Pum, G., action of hydriodic acid on cinchonine, 514.

— benzoyl derivatives of glucosamine, 134.

Purdie, T., and J. W. Walker, resolution of lactic acid into its optically active components, *TRANS.*, 754.

Purfürst, C. See Ehrenberg.

Purgotti, A., new thiosulphates, 1418. Puschl, C., expansion of water by heat, 1382.

Q.

Quenda, E., action of ethyl cyanacetate on aniline, 1072.

— γ -substituted hydantoins, 828.

Quincke, G., relations between compressibility and indices of refraction of liquids, 669.

Quincke, J., gasometric alkalimetry, and the employment of potassium ferricyanide in gasometry, 526.

R.

Raabe, F. F., assay of commercial toluidine, 925.

Rabaut, C., action of benzyl chloride on orthotoluidine, 48.

— action of benzyl chloride on ortho- and para-toluidine, 313.

Rabaut, C. See also Prud'homme.

Rabiner, J. See Michaelis.

Raczkowski. See De Raczkowski.

Rahnenführer, C. See Lossen.

Rammelsberg, C., hypophosphates, 403.

Ramsay, W., pedetic motion in relation to colloidal solutions, *PROC.*, 1892, 17.

Ramsay, W., and H. Berghell, rock of the Jyväskylä, in Finland, 1058.

Ransom, F., constituents of henbane seed, 231.

Raoult, F. M., determination of the freezing point of very dilute solutions: freezing points of dilute solutions of cane sugar, 678, 935.

Raps, G. See Claus.

Rassow, B. See Einhorn.

Raulin, J., influence of the nature of the soil on vegetation, 1121.

Rauter, G., silicon tetrachloride, 1273.

Rauter, G. See also Seubert.

Reboul, E., bromobutylenes, 127.

Recoura, A., chromosulphuric acid and metallic chromosulphates, 783.

— green chromic sulphate, 411.

— isomeric forms of chromic sulphate, 411.

Reformatsky, S., action of zinc and ethyl monochloracetate on the aldehydes, 1300.

Regelsberger, F., assay of aluminium and its alloys, 102, 535.

— estimation of silicic acid in fluorides, 1128.

Reh, A. See Claus.

Reich, K., solubility of sodium carbonate and sodium hydrogen carbonate in solutions of sodium chloride, 116.

Reicher, L. T. See Van Deventer.

Reid, A. F., improvements in burettes, 1027.

Reid, E. W., absorption without osmosis, 646.

Reinhardt, C., estimation of phosphorus in pig-iron by means of Braun's centrifugal apparatus, 912.

Reis, M. A. v., estimation of manganese by the chlorate method, 1132.

Reissert, A., dyes obtained from keto-methyljuloline and methylepidone, 498.

— julole, 496.

— α -phenylhydrazidopropionic acid, 1456.

Reissert, A., and A. Junghahn, 3'-methyl- α -naphthindole, 1479.

Reissert, A. See also Kayser.

Remmler, W., separation of bismuth from lead, 385.

Remsen, I., double halogen salts, 779.

Rennie, E. H., and G. Goyder, the resins of *Ficus rubiginosa* and *F. macrophylla*, *TRANS.*, 916.

Retgers, J. W., influence of foreign substances on the form, purity, and size of crystals separating from a solution, 937.

— isomorphism, 1048.

Reuter, L., synthesis of cymene, 1310.

Reuter, L. See also Brühl, Krafft.

Reverdin, F., and C. de la Harpe, amidonaphtholsulphonic acids, 996.

Rey, H. See Lunge.

Reychler, A., constitution of carvone, 1350.

— preparation of carvacrol, 1311.

— some derivatives of carvacrol, 1312.

Reymond. See Du Bois Reymond.

Reynolds, J. E., silicon compounds and their derivatives. Part IV. The action of silicon tetrachloride on substituted phenylamines, *TRANS.*, 453.

— some silver compounds of thiourea, *TRANS.*, 249.

Riban, J., alteration of chalybeate mineral waters, 1288.

— basic zinc nitrate, 1156.

— chalybeate mineral waters, 1289.

— colorimetric estimation of iron, 1132.

Richards, J. W., specific heat of aluminium, 673.

Richards, T. W., cuprammonium acetobromide, 953.

Richardson, A., measurement of light intensity by the expansion of chlorine, 253.

Richardson, G. M., double halogen salts of tin, 784.

Richez, C. See Hanriot, Héricourt.

Richmond, H. D., estimation of iodoform, 1528.

Richmond, H. D., and H. Off, indications of a possible new element in an Egyptian mineral, *TRANS.*, 491.

Richter, E., β -trichloro- α -hydroxy-propenylamidoxime, 321.

Riesenfeld, J. See Kühn.

Riggs, R. B., separation of iron, manganese, and calcium, 916.

Rimbach, E., behaviour of optically active substances in mixtures of two solvents, 1137.

Ringer, S., calcium salts and coagulation, 1112.

Rinne, F., gismondine from Westphalia, 1056.

— relations between minerals of the heulandite and desmine groups, 417.

Riva-Rocci, S., estimation of peptones in stomach contents, 1136.

Rocci. See Riva-Rocci.

Rodewald, H., detection of margarin in butter, 1034.

Rodzynko, A., some properties of humin and humic acid, 1372.

Röhm, F., and W. Spitzer, determination of the affinity of organic acids by means of lacoïd, 37.

Rössing, A. See Otto.

Rösing, E., oxidation of albumin in presence of sulphur, 741.

Röttger, H., assay of beeswax for vegetable wax, 551.

— detection of resin in beeswax, 923.

Rohde, G. See Miller.

Romburgh. See Van Romburgh.

Roos, A. See Krafft.

Roos, E., diamines in disease, 518.

Roos, L., and E. Thomas, vegetation of the vine, 908.

Roozeboom, H. W. B., solubility curves of pairs of salts, 1384.

— solubility of mixed crystals, especially of two isomorphous substances, 265.

— solubility of mixed crystals of potassium and thallium chlorates, 266.

— waters of the North Sea, 419.

Roscoe, H. E., and F. Scudder, note on the action of water gas on iron, *PROC.*, 1891, 126.

Rosenbusch, H. See Hunter.

Rosenstein, W. See Freund.

Rosenstiel, A., influence of nucleal methyl on the properties of orthotoluidine, 1319.

Rossin, O., metahemipinic acid, 180.

Rossiter, E. C. See Armstrong.

Rothe, F. See Michaelis.

Rousseau, G., crystallised ferric oxychlorides, 119.

— formation of saline hydrates at high temperatures, 119.

— hydrated potassium manganites, 569.

Rousseau, G., and G. Tite, basic nitrates, 1157.

— — cadmium hydrosilicate, 1157.

— — decomposition of basic nitrates by water, 1272.

— — silver nitrosilicate: existence of a nitrosilic acid, 684.

Rouvier, G., iodide of starch, 578, 801, 1171.

Roux, volumetric estimation of pentones in urine, 1264.

Rovighi, A., ethereal hydrogen sulphate in the urine, and the disinfestation of the alimentary canal, 226.

Rubricius, H., estimation of manganese in iron and steel, 1030, 1524.

Rücker, A. W., density and composition of dilute sulphuric acid, 271.

Rüdel, C., alkaloids of *Berberis aquifolium* and *B. vulgaris*, 641.

Rügheimer, L., condensation of aldehydes with benzoylpiperidine, 1364.

— the compound $C_{36}H_{28}N_4O_6$ obtained by the action of sodium ethoxide on ethyl hippurate, 1002.

Rügheimer, L., and E. Mischel, diamidoacetone, 952.

Ruer, R. See Fittig.

Rürup, L., estimation of manganese in iron and steel, 916.

Ruhemann, A., paraxylalphthalide and its derivatives, 473.

Ruhemann, S., the isomeric α -bromo-cinnamic acids, *TRANS.*, 278.

Ruhemann, S., and R. S. Morrell, dicarboxyglutaconic acid, *TRANS.*, 791.

Ruhl, J., parathiophenylhydrazine and thionylthioaniline, 1326.

Ruhl, J. See also Michaelis.

Rumpf, estimation of phenols in human urine, 544.

Rung, F., and M. Behrend, glyoxaline, 1493.

Ruppert, F. See Fresenius.

Russanow, A., action of silver nitrite on methylene iodide, 1415.
 — phenylglyoximes, 321.
 Rutishauser, R. See Kostanecki.

S.

Sabatier, P., and J. B. Senderens, action of nitric oxide on metallic oxides, 1151, 1271.
 — — — action of nitric oxide on metals, 1151.
 — — — action of nitric peroxide on metals and metallic oxides: nitro-metals, 1390.
 Sachs, H., thiophenchlorophosphine and its derivatives, 966.
 Sachse, H. See Liebermann.
 Sachsse, R., and A. Becker, kaolin in arable soils, 1026.
 St. Martin. See De St. Martin.
 Sakano, H. See Kellner.
 Sakurai, J., determination of the temperature of steam arising from boiling salt solutions, *TRANS.*, 495.
 — modification of Beckmann's boiling point method of determining molecular weights of substances in solution, *TRANS.*, 986.
 — note on an observation of Gerlach of the boiling point of a solution of Glauber's salt, *PROC.*, 1892, 94.
 Salkowski, E., influence of amido-acids on gastric digestion, 742.
 Salvatori, S., derivatives of ethyl acetothiopheneoxalate, 303.
 Salzer, T., alkali citrates, 149.
 — iodometry, 1514.
 — water of crystallisation, 581.
 Sandberger, F. v., minerals from the Fichtelgebirge, 1406.
 Sanger, C. R., estimation of arsenic in wall paper, 382.
 Sato, D. See Kellner.
 Sauer, E., new drying apparatus for elementary analysis, 657.
 Sauer, E. See also Weber.
 Saunders, C. E., diazobenzene per-bromide, 316.
 — double halogen salts of antimony, 788.
 — double halogen salts of manganese, 780.
 Sautermeister, O., testing metallic iron for arsenic, 1030.
 Saytzeff, A., stereoisomerism of oleic and elaidic acids, 812.
 Schaap, Miss J., separation of salicylic acid from benzoic acid, 1532.
 Schall, C., composition of ant oil, 948.
 Schall, C., determination of vapour densities under diminished pressure, 553.
 — — — determination of vapour density, 934.
 — — — sodium phenyl sulphide, 970.
 Schall, C., and C. Dralle, oxidation of brasilin: new derivatives of resorcinol, 502.
 Schall, C., and S. Paschkowetzky, stereoisomerides of carbodiphenylimide and carboparotolylimide, 1452.
 Schall, C., and J. Uhl, action of iodoform on the additive product obtained from sulphurous anhydride and sodium phenoxide, 1076.
 Scharfenberg, O. See Zincke.
 Scheel, C., expansion of water, 7.
 Scheibler, C., and H. Mittelmeier, so-called isoarabinic acid, 1180.
 Scheidt, M. See Magnanini, Wilslicenus.
 Scherer, O., action of chlorine and of nitric acid on methylnaphthalenes, 593.
 Scheurer-Kestner, action of carbon on sodium sulphate in presence of silica, 565.
 — — — decomposition of sulphurous anhydride by carbon at high temperatures, 681.
 — — — formulae for calculating the heating power of coal, 1143.
 Schierholz, C., separation of iodine, bromine, and chlorine, 1028.
 Schiff, H., amidotolylurethane, 1203.
 — polymethylene bases from benzidine and tolidine, 1223.
 Schiff, H., and A. Vanni, amidotolylloxamic and urethanotolylloxamic acids, 599, 1208.
 Schiff, R., chloralimide, 134.
 — epichloramine, 29.
 — special case of isomerism, 1067.
 Schiff, R., and N. Tarugi, oximes of chloral and butychloral, 33.
 Schiffer, C. See Fittig.
 Schiffer, H., derivatives of gallic acid and pyrogallol, 715.
 Schiffer, H. See also Hantzsch.
 Schimmel, constitution of betel oil, 833.
 — — — essential oils, 1347.
 — — — estimation of cinnamaldehyde, 924.
 Schindler, T., crotonaldoxime, 32.
 — — — crotonaldoxime and allyl cyanide, 580.
 Schjerning, H., estimation of calcium and magnesium in guncotton, 1520.
 — — — manganese compounds, 1052.
 Schleicher, B., α -bromisovaleric acid: pimelic acid: synthesis of teraconic acid, 427.

Schlicht, A., estimation of oil of mustard, 1035.

Schliemann, J. See Lellmann.

Schlüper, F. W., reduction of meta-bromonitrophenol, 704.

Schlömann, W. See Schotten.

Schloesing, T., fermentation of farm-yard manure, 1123.

Schloesing, T., jun., and E. Laurent, fixation of free nitrogen by plants, 378, 523, 1021.

Schmidt, A., and G. Wichmann, piperazine, 210.

Schmidt, A. See also Seubert.

Schmidt, C. See Witt.

Schmidt, E., action of hydriodic acid and of hydrobromic acid on neurine and choline, 808.

— Berberis alkaloids: berberine and hydroberberine, 1498.

— choline, 219, 905.

— choline, neurine, and allied compounds, 905.

— hyoscine (scopolamine), 1255, 1498.

— preparation of pure trimethylamine from crude trimethylamine hydrochloride, 805.

Schmidt, E., and A. Partheil, derivatives of allyltrimethylammonium hydroxide, 950.

Schmidt, E., and J. Weiss, allyltrimethylammonium chloride and iodide, 949.

Schmidt, G. C., critical temperatures of mixed liquids, 262.

— vapour tension of homologous compounds, 396.

Schmidt, M., action of sulphurous anhydride on isonitroso-compounds, 476.

Schmidt, R. H., absorption and digestion of fat oils by plants, 1118.

Schmitt, physiological action of camphors and their combinations with chloral, 227.

Schmitter, new experiments on soil inoculation, 1512.

Schmitz-Dumont, W., insoluble sulphur, 1389.

Schmoeger, M., acetylated lactose and the optically different modifications of lactose, 948.

— estimation of sugars by means of Ost's copper solution, 387.

Schneider, E. A., colloidal silver, 117, 941.

— organosols, 775.

— preparation of pure colloidal silver, 775.

Schneider, E. A., and F. W. Clarke, action of ammonium chloride at its dissociation temperature on silicates, 772.

Schneider, E. A. See also Clarke.

Schneider, R., reduction of potassium platinum thiostannate. Potassium thioplatinatosé, 944.

— two new seleno-salts, 281.

Schnelle, W., and B. Tollen, multi-rotation of rhamnose and of the saccharoses, 1420.

— — — polarisation phenomena of galactonic acid and galactonolactone, 1432.

— — — polarisation phenomena of gluconic acid and glucolactone, 1432.

— — — polarisation phenomena of rhamnonic acid and rhamnolactone, 1431.

Schoder, R. See Baeyer.

Schönenfeld, F. See Freund.

Schönflies, A., theories of the structure of crystals, 572.

Schöppff, M., acridone derivatives, 1223.

— action of aniline on β -naphthol-carboxylic acid, 1476.

— displacement of halogen atoms in the benzene ring, 335.

— Friedel-Craft's synthesis, 337, 594.

Scholz, R., heat of dissolution of salts in water at 0° , 676.

Scholz, W. See Liebermann.

Schotten, C., and W. Schlömann, oxidation of piperidine and tetrahydroquinoline derivatives, 354.

Shottländer, P., metals of the cerium group, 686.

Schreinemakers, F. A. H., equilibrium of double salts of lead and potassium iodides with their aqueous solutions, 560.

Schubert, A., and Z. H. Skraup, action of hydriodic acid on quinine and quinidine, 640.

Schündelen, B. See Nietzki.

Schütt, F., determination of the molecular refraction of solid chemical compounds in solutions of the same, 929.

Schütte, W., alkaloids of the Solanaceæ, 231.

Schütze, M., colour and constitution of compounds, 561.

Schlützenberger, P., compounds of carbon and silicon, 1050.

— constitution of peptones, 1500.

— nickel, 1158.

Schulthess, O. See Michael.

Schulz, O., action of quinone and its derivatives on the organism, &c., 1115.

— apparatus for the estimation of carbonic anhydride in air, 533.

Schulze, C., and B. Tollens, disappearance of the multirotation of sugars in ammoniacal solution, 1419.
 — — — simple apparatus for evaporating under reduced pressure, 1386.
 — — — the pentosans of woody fibre, 1420.
 — — — xylose and its optical properties, 1420.
 Schulze, E., β -galactan, 1171.
 — — — occurrence of guanidine in plants, 908.
 — — — test for guanidine, 926.
 — — — vegetable cell membranes, 907.
 Schuster, F., action of benzaldehyde on 2:6-lutidine, 1360.
 Schutt, F. T., analyses of apple tree leaves, 1372.
 Schwicker, A., new reagent for acetone, 1032.
 — — use of iodic and bromic acids in quantitative analysis, 1027.
 Scudder, F. See Roscoe.
 Seeberger, L. See Bamberger.
 Seegen, J., sugar in blood, 743.
 Seelig, E., derivatives of glycerol, 288.
 Seibert, R. See Claus.
 Seidel, P., fulminuric acid, 690.
 — — fulminuric and deoxyfulminuric acids, 1417.
 — — — sulphonie acid obtained from 1:4-amidonaphthol, 721.
 Seidmann, S. See Kostanecki.
 Sell, W. J. See Easterfield.
 Semmler, F. W., myristicin and its derivatives, 311.
 Semmler, F. W., and F. Tiemann, oxygen compounds of ethereal oils, 868.
 Senderens, J. B., action of sulphur on metallic solutions, 770.
 Senderens, J. B. See also Sabatier.
 Senger, O., absinthin from *Artemisia absinthium*, 1240.
 Sénkowski, M., isomeric change in the synthesis of aromatic amines and phenols, 44.
 Sestini, F., and R. Campani, detection of quinine and phenacetin in urine, 665.
 Setschenow, J., analogies between solutions of a gas and of a salt, 397.
 Seubert, K., and G. Rauter, copper oxalate and cuprammonium oxalate, 1431.
 Seubert, K., and A. Schmidt, action of magnesium on chlorides, 776.
 Seyewetz, A., action of phenylhydrazine on phenols, 49.
 Seyler. See Hoppe-Seyler.
 Shamel, C. H., eupatorium, 1103.
 Sharpless, F. F. See Lane.
 Shegog, T. A. See Adeney.
 Shenstone, W. A., adhesion of mercury to glass in the presence of halogens, TRANS., 452.
 Shenstone, W. A., and C. R. Beck, platinous chloride and its use as a source of chlorine, TRANS., 445.
 Shields, J., conductivity of lead dioxide, 672.
 — — — occlusion of hydrogen by lead, 942.
 Shinjo, S. See Kellner.
 Shtchoukareff, A., degree of saturation of the dextroterpene from Russian turpentine, 1350.
 — — reduction of hydrate of terpinol, 1351.
 Siboni, G., condensation products of nitrobenzaldehydes with hydroxybenzenes, 621.
 Siebert, C., luponine, the alkaloid of the blue lupin, 223.
 Siegfeld, M., action of aniline on benzile, 1470.
 Siegfeld, M. See also Auwers.
 Sieker, F. A., and E. Kremers, menthene, 1479.
 Sigalas, C. See Jolyet.
 Sigmund, W., fat-decomposing ferment in plants, 1261.
 Silber, P. See Ciamician.
 Simonini, A., action of iodine on the silver salts of fatty acids, 1301.
 Simon Thomas, J. C. A., attempted synthesis of a nitramine of the quinoline group, 725.
 Sinclair, W. See Perkin.
 Sisley, P. See Vignon.
 Skinner, S., the physical properties of solutions of some metallic chlorides, TRANS., 339.
 Skraup, Z. H., compounds of the cinchona alkaloids with hydriodic acid, 83.
 Skraup, Z. H. See also Schubert.
 Skubich, change of volume of solutions of salts, 766.
 Smith, A. W., influence of substituting radicles on the configuration of aromatic ketoximes, 487.
 Smith, C. G. See Gooch.
 Smith, E. F., and R. H. Bradbury, estimation of molybdc and tungstic acids, 241.
 Smith, E. F., and A. W. MacCauley, electrolytic separation of mercury from copper, 239.
 Smith, E. F., and F. Muhr, electrolytic separation of iron, 917.
 Smith, E. F., and D. L. Wallace, electrolytic separations, 920.

Smith, E. F., and D. L. Wallace, oxidation of copper glance by the electric current, 239.

Smith, J. H., new method for estimating organic nitrogen, 527.

Smith, J. L. See Haldane.

Smith, W. J., physiological action of sulphonal, 1507.

Smithells, A., note on the structure of luminous flames, TRANS., 217. — the origin of flame coloration, PROC., 1892, 8.

Smithells, A., and H. Ingle, the structure and chemistry of flames, TRANS., 204.

Smyth, C. H., peridotite in Central New York, 1057.

Sobernheim, haematoxypyrinuria, 1118.

Sodeau, W. H., silver sulphite, 684.

Söderbaum, H. G., action of hydroxylamine on dibromopyruvic acid, 815.

Söderbaum, H. G. See also Abe-nius.

Soldaini, A., alkaloids of *Lupinus albus*, 892.

Sonnenthal, S., dissociation in dilute solutions of tartrates, 588.

Sonnenthal, R. v., dissociation in dilute solutions of tartrates, 1144.

Soxhlet, sterilisation of milk, 518.

Soxhlet, V. H., indigo-green, 991. — preparation of flavin, 503.

Spehr, P., ephedrine from *Ephedra monostachia*, 893.

Speyers, C. L., electromotive forces of metallic salts, 255.

Spica, M., behaviour of strontium tartrate with plastered wines, 93. — volumetric estimation of phosphoric acid, 912.

Spica, P., the mineral water of Monte di Malo, 1287.

Spica, P., and G. Carrara, thiazole compounds, 215.

Spiegel, L., action of phenylhydrazine on cantharidin, 999.

Spiegler, E., sensitive reaction for albumin in urine, 928.

Spilker, A. See Kraemer.

Spitzer, W. See Röhlmann.

Spring, W., equilibrium of chemical systems under unequal pressures, 1148. — the formation of trithionate by the action of iodine in a mixture of sulphite and thiosulphate, PROC., 1892, 91.

Spring, W., and E. Bourgeois, action of iodine on sodium hydrogen sulphite, 681.

Spring, W., and J. van Marsenille, thiopinacone, 1317.

Stackler, soluble naphthol compounds, 1116.

Stadt. See Van de Stadt.

Stahl, J., molybdic acid as a reagent for aromatic hydroxy-compounds, 1133.

Starling, E. H., and F. G. Hopkins, the urine in a case of phosphorus poisoning, 650.

Stavenhagen, A. See Claus.

Stelzner, R. See Marckwald, Moscheles.

Stenhouse, J. See Perkin.

Stern, J. See Fittig.

Stewart, A., thio-derivatives of ortho-aminobenzamide, 54.

Stewart, A. J. See Fischer.

Stewart, G. N., heat production in nerves during excitation, 365.

Stiassny, E., preparation of methyl-propylacetic acid, 581.

Stich, respiration of plants under oxygen tension and when injured, 1259.

Stock, W. F. K., estimation of nitrogen in organic substances, 1516.

Stoehr, C., dimethyldiazine, 507. — pyridine and piperidine bases of the β -series, 628.

Stoehr, C., and M. Wagner, $\beta\beta$ -dimethyldipyridyl, 629.

Stoehr, C. See Heuser.

Stohmann, F., and C. Kleber, hydrogenation of closed rings: constitution of camphoric acid, 1040.

Stohmann, F., and H. Langbein, calorific value of food constituents and their derivatives, 4. — — — — — the thermochemistry of the carbohydrates and polybasic alcohols and phenols, 763.

Stokes, A. W., extraction of fat from milk solids, 391.

Stokes, G. G., optical proof of the existence of suspended matter in flames, 111. — — — — — the interactions occurring in flames, PROC., 1892, 22.

Stoltz, F., parethoxyphenylhydrazine and dimethylparethoxyphenylpyrazolone, 1080.

Stone, G. H., asphalt of Utah and Colorado, 21.

Stone, W. E., constituents of the nitrogen-free extract, 653. — — — — — digestibility of pentose-carbohydrates, 645. — — — — — estimation of pentoses in vegetables, 247.

Stortenbeker, W., compounds of chlorine with iodine, 1387.

Strache, H., estimation of aldehydic and ketonic oxygen, 546.

— improvement in the method of estimating aldehydic and ketonic oxygen, 1530.

Strache, H., and M. Kitt, oxidation of phenylhydrazine with Fehling's solution, 1322.

Strasser, L. See Bamberger.

Streintz, F., theory of secondary batteries, 1381.

Streintz, F. See also Neumann.

Ström, K. T. See Fittig.

Stützer, A., analysis of healthy and diseased sugar cane, 1372.

— composition of frozen and unfrozen beet chips, 1512.

— digestibility of raw and boiled meat, 1367.

— food value of brushwood, 1511.

Sudborough, J. J., isomeric change in the stilbene series, 1224.

Süllwald, A., estimation of nitrogen in pure and mixed nitrates, 528.

Sullivan. See O'Sullivan.

Swinburne, J., some points on electrolysis, 257.

Sykes, W. J., examination of vinegar, 251.

Szilasi, J., analyses of human milk, 517.

Szymanski, S. See Friedländer.

T.

Täuber, E., diphenyleneazone, 183, 482.

— formation of an orthamidoditolylamine from parahydrazotoluene, 853.

— synthesis of diamidocarbazole, 480.

Täuber, E., and E. Halberstadt, new synthesis of diphenylene oxide, 1470.

Tafel, J., acid hydrazides, 710.

— colour reactions of acid anilides, 709.

— oxidation of reduced pyridine and quinoline bases, 1104.

— strychnine, 1012.

Tafel, J. See also Bölsing.

Tahara, Y., constitution of dehydrodiacetylpaenol and of dehydriodiacetylresacetophenone, 846.

— orthohydroxyacetophenone, 844.

Tammann, G., measurement of osmotic pressure, 556.

— metaphosphates, 1050.

— Nasse's experiments on the excitability of frog-muscle in salt solutions, 515.

Tammann, G., permeability of precipitated membranes, 1383.

— unorganised ferments, 899.

Tammann, G., and W. Nernst, maximum tension with which hydrogen is set free from solution by metals, 561.

Tanatar, S., action of alcoholic potash on bromisosuccinic acid, 1305.

— action of methylene iodide on diethyl malonate, 1304.

— complete transformation of fumaric into maleic acid, 1306.

— transformation of maleic and fumaric acid, 1305.

Tarugi, N. See Schiff.

Tassinari, G., constitution of dihydroxybienzenes, 1316.

Taufkirch, H. See Knorr.

Tavel, E., and A. Tschirch, iodine trichloride, 1388.

Tcherniac, J., estimation and preparation of thiocyanacetone, 1426.

— monochloracetone, 1425.

— thiocyanacetone, 1425.

— water of crystallisation of barium thiocyanate, 1418.

Teclu, N., new laboratory burner, 768.

Terne, B., iron in bone-black, 1053.

Terreil, nickel and cobalt reactions, 1132.

Terreil, A., chromiferous clay from Brazil, 1057.

Thal, K., action of nitrous acid on ethyl acetosuccinate and diacetosuccinate, 1074.

Thiele, A., β -isopropylthiophen, 442.

Thiele, J., azodicarboxylic acid, 1429.

— nitroguanidine and amidoguanidine, 1295.

Thiesing, H., methylenedibenzamide, 467.

Thörner, W., estimation of carbon in iron and steel, 913.

Thomas, E. See Berend, Roos.

Thomas. See Simon Thomas.

Thoms, H., constituents of the buds of *Chrysanthemum cinerariaefolium*, 349.

— valuation of oil of cloves, 250.

Thomsen, J., thermochemistry of hydrazine and of hydroxylamine, 1143.

Thomson, R. T., and H. Ballantyne, revision of constants employed in the analysis of fat and oils, 547.

Thorpe, T. E., a lecture experiment to illustrate the phenomena of coal-dust explosions, TRANS., 414.

Thorpe, T. E., and W. Kirman, fluorosulphonic acid, *TRANS.*, 921.

Thorpe, T. E., and A. K. Miller, frangulin, *TRANS.*, 1.

Thorpe, T. E., and G. H. Perry, interaction of iodine and potassium chloride, *TRANS.*, 925.

Thoulet, J., water from the Arctic Ocean, 1287.

Thurnlackh. See Garzarolli-Thurnlackh.

Tiemann, F., acetovannillone, 59.

— action of benzenesulphonic chloride on amidoximes, 460.

— action of nitrous acid on benzyl-amidethoxime, 323.

— amidoximes and azoximes, 135, 317.

— constitution of the hydroxamic acids, 300, 461.

— isoeugenol, diisoeugenol, and their derivatives, 45.

— oxidation products of safrole, 46.

— paenolphenylhydrazone and oxime, 59.

— phenyl- α -hydroxycrotonic acid, 471.

— preparation of benzylhydrazoximamidobenzylidine, 461.

— reduction of aromatic aldehydes, 167.

— vanillylcarboxylic acid, 64.

Tiemann, F. See also Semmler.

Tilden, W. A., on limettin, *TRANS.*, 344.

— spontaneous conversion of isoprene into caoutchouc, 1482.

Tite, G. See Rousseau.

Tivoli, D. See Cavazzi, Pellizzari.

Tjelouchin, W., vivianite, 690.

Töhl, A., action of sulphuric acid on bromoprehnitene, 968.

— action of sulphuric acid on chlorodurene, 968.

— chlorodurenesulphonic acid, 1465.

— halogen derivatives of methylbenzenes, 967.

Töhl, A., and A. Geyger, symmetrical and unsymmetrical ethylmetaxylene, 968.

Töhl, A., and D. v. Karchowski, ethylpseudocumene and the action of sulphuric acid on it, 990.

Töhl, A. See also Heise.

Tollens, B., reactions of xylose and arabinose, 290.

Tollens, B., and others, carbohydrates, 248.

Tollens, B., and P. Wigand, penterythritol, a tetrahydric alcohol, 127.

Tollens, B. See also Günther, Lindsey, Schnelle, Schulze.

Torup, S. See Bohr.

Traube, J., capillarity constants of salts at their melting points, 7.

— cryoscopic behaviour of dilute solutions, 8.

— cryoscopic communications, 765.

— estimation of fusel oil in spirits, 543.

— molecular volume of dissolved substances, 1383.

Traube, M., sulphuryl holoxide, 401.

Traube, W., amides and imides of sulphuric acid, 1389.

Trautmann, E. See Noeling.

Treadwell, F. P., estimation of sulphur, 1375.

— milarite, 1056.

Treupel, G., carbohydrates of putrefying human urine, 226.

Trevor, J. E., mutual solubility of salts in water, 264.

Trillat, A., and De Raczkowski, azo- and alkyl-compounds of chrys-aniline and the colouring matters derived therefrom, 1095.

Trimble, H., chestnut-wood tannin, 716.

Tscherven-Iwanoff, polymerides of dichloracetonitrile and trichloracetonitrile, 1291.

Tschirch, A. See Tavel.

Tubby, A. H., and T. D. Manning, human succus entericus, 1368.

Turner, C., preparation of orthonitro-aniline, 837.

Turner, T. See Barrows.

Tust, K., bromopianic acid, 1209.

Tuxen, C. F. A., rain as a source of nitrogen for vegetation, 233.

Twitchell, E., estimation of resin in its mixtures with fatty acids, 389.

U.

Uhl, J. See Schall.

Ulfers, F. See Bistrzycki.

Ullik, F., carbohydrates, 1066.

Ulrich, B. C., oxidation of bi-secondary pentethylphloroglucinol by means of uncombined oxygen, 1188.

Ulsch, K., action of the copper-iron couple on nitrates and nitrites, 1518.

Umney, J. C. See Dunstan.

Urban, K. See Fittig.

V.

Van de Stadt, H. J. See Van De-venter.

Van Deventer, C. M., and L. T. Reicher, formation of salts in alcoholic solution, 262.

Van Deventer, C. M., and H. J. Van de Stadt, theory of the solubility curve, 559.

Van Dorp, W. A. See Hoogewerff.

Van Hise, C. R., iron ores of the Marquette district, Michigan, 794.

Van Leent, F. H. See Lobry de Bruyn.

Van Marsenille. See Spring.

Vanni, A. See Schiff.

Vanni, J., apparent variability of the electrical equivalent of copper, 105.

Van Nüys, T. C., and R. E. Lyons, carbonic anhydride in the urine, 649.

Van Romburgh, P., action of nitric acid on alkyl phenylcarbamates, 711.

— action of nitric acid on dimethyl-orthanisidine, 159.

Van't Hoff, J. H., theory of solutions, 1045.

Varda. See De Varda.

Varet, R., action of ammonia on mercuric cyanide and its haloid derivatives, 575.

— action of metals on salts dissolved in organic liquids, 797.

— piperidine compounds, 1483.

Vasey, S. A. See Heaton.

Vasileff, M. See Menschutkin.

Vaubel, W., phenylene oxide, 1187.

Veley, V. H., chemical changes between lead and nitric acid, 410.

Venable, F. P., preparation of pure zirconium chloride from zircons, 412.

Venturoli, G., estimation of hydrocyanic acid, 1530.

Verneuil, A., automatic return of mercury in Sprengel pumps, 8.

Vernon, H. M., manganese tetrachloride, 19.

— maximum density of water, 7.

— molecular weights of liquids as evinced by their boiling points, 107.

Vesterberg, A., hydrocarbons from α - and β -amyrin, 288.

— oxidation products of the amyrins, 290.

Vèzes, M., chlorazopalladium compounds, 1284.

— iodonitro- and bromonitro-platinum compounds, 280.

— nitrogen compounds of platinum, 1283.

Vidal, R., action of non-metallic nitrides and hydronitrides on hydroxycarbon compounds, 1311.

Vignon, L., rotatory powers of various silks, 254, 645.

Vignon, L., specific gravity of silk, 1036.

Vignon, L., and P. Sisley, nitrated silk, 1111.

Villavecchia, V. See Nasini.

Ville, J., transformation in the animal economy of sulphanilic acid into sulphanilocarbamic acid, 903.

Vincent, C., and Delachanal, occurrence of mannitol and sorbitol in the cherry laurel, 908.

Viron, L., soluble colouring matters produced by bacteria in distilled medicinal waters, 907.

Vis, G. N., 1 : 4-ethoxyacetanilido-quinoline, 1104.

Vitali, D., action of hydrogen cyanide on mercurous salts, 1416.

— reactions of hydrastine and other alkaloids, 755.

— volumetric estimation of soluble sulphides, 1515.

— volumetric estimation of the metals of the alkaline earths and of some heavy metals, 1521.

Vladesco. See Déniètre-Vladesco.

Vogel, J. H., analysis of phosphates, 912.

— estimation of lime in phosphates by Glaser's process, 534.

Vogt, J. H. L., composition of melilite, 1410.

Vogtherr, H., action of paramidodimethylaniline on ketones, 854.

Vogtherr, H. See also Jannasch.

Voit, C., J. G. Otto, A. C. Abbott, G. Lusk, and F. Voit, formation of glycogen from different sugars, 902.

Voit, F., behaviour of milk sugar in a diabetic, 903.

Volhard, J., compounds of thiophen and of its homologues, and of some ketones with mercuric chloride, 828.

— hydrochelidonic acid or acetonedi-acetic acid, 432.

— phenylhydrazonehydrazide of levulinic acid, 436.

— preparation of maleic anhydride, 963.

Volney, C. W., manufacture of nitric acid, 941.

Volpi, A., homologues of acridine, 342.

Voorhees, E. B., estimation of nitrogen, 342.

Voss, G. See Lossen.

Voswinkel, A., occurrence of gums which yield xylose, 380.

Vries. See De Vries.

Vulté, H. T. See Waller.

W.

Waage, T., presence and function of phloroglucinol in plants, 1120.
 Wachter, W., desaurein, 1095.
 Wachter, W. See also Meyer.
 Wagner, G., oxidation of aromatic compounds containing the side chain C_3H_5 , 310.
 — oxidation of mixed fatty ketones, 35.
 — oxidation of tertiary alcohols, 28.
 Wagner, M. See Stoehr.
 Walbaum, H. See Bertram.
 Walden, P., affinity coefficients of organic acids and their relation to chemical constitution, 266.
 Walker, J., preparation of alkyl iodides, TRANS., 717.
 — the dissociation constants of organic acids, TRANS., 696.
 — the methyl salts of camphoric acid, TRANS., 1088.
 — the new theories of solution, 264.
 Walker, J. W. See Purdie.
 Wallace, D. L. See Smith.
 Wallach, O., camphene and camphoric acid, 868, 1481.
 — camphor and fenchone series, 1236.
 — constitution of pinene, 997.
 — derivatives of carvole, 499.
 — isomerism in the limonene series, 1348.
 — methylamine, 500.
 Wallach, O., and A. Berkenheim, tetrahydropinene, 998.
 Wallach, O., and E. Früstück, nitrolamines of pinene, 997.
 — — preparation of pinole glycol and its derivatives, 998.
 Wallach, O., and J. Grieppenkerl, comparison of bornylamine and fenchylamine, 1238.
 Wallach, O., and A. Hesse, action of chlorine on dihydrochloropentene, 1350.
 Wallach, O., and L. Jenckel, fencholamine, 1240.
 Wallach, O., and G. Lorentz, pinylamine, 996.
 Waller, E., and H. T. Vulté, analysis of chromite, 1525.
 Walter, G., oxidation of benzoyltetrahydroquinidine, and nitro-derivatives of the same, 881.
 Wanklyn, J. A., liquid and gaseous mixtures, 935.
 Wanklyn, J. A., and W. Johnson, alde-acids, 696.

Wanklyn, J. A., and W. Johnstone, nature of solution, 108.
 Wanklyn, J. A., W. Johnstone, and W. J. Cooper, change of volume on dissolution, 264.
 Warden, C. J. H., ash of *Achryanthes aspera*, 230.
 Warren, H. N., aluminium sulphide, 943.
 — electrolytic preparation of metallic alloys, 394.
 — new silver ore, 1404.
 — reducing action of graphitoïdal silicon, 115.
 Warren, T. T. P. B., valuation of coal for use in steam boilers, 668.
 Wasowicz, V. See Jannasch.
 Weber, J., oil of cinnamon, 1509.
 Weber, O., toluic sulphuride ("methyl-saccharin"), 1092.
 Weber, R., influence of the composition of the glass of slides and cover glasses on the durability of microscopic objects, 1276.
 Weber, R., and E. Sauer, composition of glass suitable for chemical utensils, 410, 1052.
 Wedemeyer, K. See Arnold.
 Weed, W. H., a gold-bearing hot spring deposit, 24.
 Weed, W. H., and L. V. Pirsson, sulphur, orpiment, and realgar in the Yellowstone Park, 283.
 Wege, H., acetoximes, 333.
 — deoxybenzoïn, 338.
 Wege, H. See also Meyer.
 Wegscheider, R., methyl salts of abnormal structure, 1208.
 Wehmer, C., absence of oxalates in young leaves as in the case of some phanerogamous parasites, 651.
 — formation and physiological significance of oxalic acid in fungi, 230.
 Weil, A. See Claus.
 Weinberg, A., paramidoalkylorthotoluidines 1078.
 Weinscheneck, E. See Kunz.
 Weiske, H., influence of various salts on live weight and on the composition of bones and teeth, 647.
 Weiss, J. See Schmidt.
 Wells, H. L., and S. L. Penfield, salts of caesium containing three atoms of halogen to one of metal, 773.
 Wells, J. S. C., analysis of tin ores, 540.
 — separation of copper and cadmium, 534.
 Welmans, P., detection of vegetable oils in lard, 1133.
 Werigo, B., influence of oxygen in

the separation of carbonic anhydride in the lungs, 1369.

Werigo, B., presence of pentamethyl-enediamine in pancreatic extracts, 1368.

Werner, A., basic calcium nitrate, 1276.

— stereoisomeric derivatives of benz-hydroxamic acid, 461.

Werner, E. A., chemistry of the thioureas, Part II, PROC., 1892, 96.

Westberg, A., toxic action and detection of carbon bisulphide, 1520.

Wheeler, H. A. See Luedeking.

Wheeler, H. L. See Comstock.

White, J. See Morse.

White, W. H., treatment of chlorosis by hydrochloric acid, 1117.

Whitehead, C., estimation of small quantities of silver and gold in base metals, mattes, &c., 1525.

— use of cadmium in assaying gold, 919.

Whiteley, R. L., and J. T. Wood, Lowenthal's method of tannin analysis, 667.

Wichelhaus, H., methylnaphthalenes, 492.

Wichmann, G. See Schmidt.

Widman, O., intramolecular change of the propyl group, 43.

— nomenclature of compounds containing nitrogenous nuclei, 875.

— thaumasite, wollastonite, chabasite, and vesuvian, 1407.

Wiechmann, F. G., estimation of mixtures of saccharose, fruit sugar, and dextrose or levulose, 248.

Wiesner, J., examination of different forms of carbon, 1273.

Wigand, P. See Tollens.

Wiklund, C. L., phosphoric acid in soil, and its estimation, 750.

Wildermann, M., exchange of chlorine, bromine, and iodine between inorganic and organic haloïd compounds, 574.

— method for determining the constitution of saturated and unsaturated halogen derivatives and hydrocarbons, 285.

Wildermann, M., and S. Aisemann, velocity of the reaction between alcoholic potash and alkyl halides, 399.

Will, W., osazone of hydroxypyruvic acid, 356.

Willard, J. T., and G. H. Failyer, extraction apparatus, 910.

Willgerodt, C., constitution of nitroso-azo-compounds, 1321, 1453.

— dinitrosoazobenzene, 1079.

Willgerodt, C., first reduction products of the nitro-group, 594.

— metadinitrobenzene, 704.

Willgerodt, C., and E. G. Mühe, derivatives of phenylhydrazine, 453.

William. See Mac William.

Williams, J. F. See Bracket.

Williams, G. H., crystals of metallic cadmium, 1398.

Williams, Miss K. J., the composition of cooked vegetables, TRANS., 226.

Wilm, T., lecture experiment, 563.

— palladious oxide, 572.

Wilson, J. A., action of alkaline mercuric cyanide on maltose, dextrose, and dextrin, 1032.

Wilson, J. A., estimation of combined alkali in soap, 384.

— separation of resin from fatty acids, 546.

Wilson, J. M., standardising iodine solutions for the estimation of sulphur in steel, &c., 382.

Winkler, L. W., absorption of gases by liquids, 556.

— solubility of gases in water, 271.

Winternitz, H., colour reactions of the protein precipitate produced by potassium ferrocyanide, 1036.

— putrefaction of milk, 1116.

Winterstein, E., vegetable amyloid, 803.

Wislicenus, W., inactive ethyl malate, 1431.

— β -methylmalic acid, 589, 963.

— reduction of ethyl oxalacetate, 147.

— synthesis of hydrogen nitride, 1151.

Wislicenus, W., and M. Scheidt, action of phenylhydrazine on ethyl ethoxyoxalacetate, 458.

— — combination of phenylhydrazine with ethyl oxalacetate, 49.

Witt, O., derivatives of paranitroortho-chlorobenzyl bromide, 444.

Witt, O. N., β -naphthaquinonesulphonic acids, 196.

— sulphonic acids of amido- α -naphthol and α -naphthaquinone, 722.

Witt, O. N., and H. Kaufmann, α -naphthol- α -sulphonic acid, 194.

Witt, O. N., and C. Schmidt, azonium bases, 1246.

— — products of the reduction of alkylated azo-colours of the naphthalene series, 862.

Witter, H. See Buchner.

Wolf, H. See Freund.

Wolf, J., estimation of calcium salts in syrup and sugar products, 1377.

Wolffenstein, R., oxidation of piperidine with hydrogen peroxide, 1484.
 Wolffenstein, R. See also Pinner.
 Wood, J. T. See Whitlecy.
 Wreszinski, H. See Fischer.
 Wright, A. E., plasma and serum, 1113.
 — tissue fibrinogens, 646.
 Wülfing, E. A., the pyroxene family, 1408.
 Wüllner, A. See Koch.
 Wynne, W. P., action of sulphuryl chloride on acetorthotoluide and acetoparotoluide: mono-, di-, and tri-chlorotoluenesulphonic acids, TRANS., 1042.
 — note on the constitution of Nevile and Winther's orthotoluidinesulphonic acid, and of the sulphonic acids of orthochloro- and orthobromo-toluene, TRANS., 1036.

Y.

Young, condensation of the three isomeric methylhydrocinnamic acids to the corresponding methylhydrindones, 1221.
 Young, R. A., retiform tissue, 1113.
 Young, W. C., volatile organic matter in potable water: method of estimating dissolved, fixed, and volatile organic matter in water, 921.

Z.

Zaloziecki, R., Glauber's salt in the potash mines of Kalusz, 1286.
 — pyridine-like bases in petroleum, 1357.
 Zanetti, C. U., constitution of the ethylpyrrolines, 350.
 — determination of the constitution of the homologues of pyrroline, 74.
 Zanetti, C. U. See also Ciamician.

Zanol, E. See Goldschmidt.
 Zatti, C., and A. Ferratini, action of methyl iodide on α -methylindole, 614.
 — — molecular weight of nitroso-indole, 67.
 Zelinsky, N., stereoisomeric dimethyl-adipic acids and dimethylpimelic acids, 430.
 — — stereoisomerism of dimethylhydroxyglutaric acid, 436.
 Zelinsky, N., and A. Buitchichin, an additive compound of hydrogen cyanide with ethyl α -cyanopropionate, 1301.
 Zeinjatschensky, P. A., iron ores of Central Russia, 689.
 Zenoni, M. See Bertoni.
 Zincke, T., action of bleaching powder and of hypochlorous acid on quinones, 720, 859, 970.
 — action of chlorine on phenols, 1186.
 — nitro- β -naphthaquinone, 1229.
 Zincke, T., and T. Arnst, tetrachlor-orthodiketohydranaphthalene, its hydrates and alcoholates, 858.
 Zincke, T., and O. Fuchs, hexachlorometadiketohexenes, 1461.
 — — hexachloroparadiketohexene, 447.
 Zincke, T., and M. Latten, action of chlorine on nitro- β -naphthaquinone in glacial acetic acid solution, 1229.
 Zincke, T., and O. Scharfenberg, action of chlorine on nitro- β -naphthaquinone in chloroform solution, 1232.
 Zink, J. See Amthor.
 Zinkeisen, H., manganese spar and celestine from Scharfenberg, 1406.
 Zinsser, F. J., aromatic nitriles, 344.
 Zuoco. See Marino-Zuoco.
 Zufall, A. See Lange.
 Zune, detection of resin oil in terebenthene, 923.